

TANKS LIQUID TRANSPORT

DIESEL REFUELING TANKS

100 AX01797 D

2024 Product Catalogue

FIELD SPRAYER UNITS

FIRE FIGHTING EQUIPMENT

VALID FROM 1st DECEMBER 2023

TRAILED WATER CARTS

INDUSTRIAL WATER CARTS



DISCLAIMER

There may be information in our catalogue that contains typographical errors, inaccuracies, or omissions that may relate to product descriptions, specifications, pricing and other details. All weights, measurements and colours shown, are best approximations.

Trans Tank International (TTi) cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. TTi reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice.

WE DESIGN, DEVELOP AND MANUFACTURE LIQUID TRANSPORT TANK SOLUTIONS HERE IN AUSTRALIA

Built for the tough Australian landscape and exported across the world, we offer water cartage, weed spraying, diesel tank and fire fighting solutions for farmers and civil contractors.



20 YEAR Tank Warranty

Reliable, dependable solutions you could still be using 20 years from now



250+ ACTIVE Stocking dealers

250+ Active Stocking Dealers Australia-Wide



LOCAL SERVICE & Support

Friendly, helpful Australian support team when you need it for the life of your product



100% AUSTRALIAN Made & Owned

Australian-owned and made for the tough Australian landscape



SAFEST TANKS In Motion

Reduce your risk with the true liquid transport tank specialists

WHO WE ARE



WHO

WE ARE HERE TO SERVE HANDS-ON, DOWN TO EARTH PRACTICAL PEOPLE.

Built in Australia, by Australians, for the tough Australian landscape



Čx

Helping you keep the weeds under control, your earthmoving equipment refueled, & fighting fire

PURPOSE

TO HELP DEVELOP & PROTECT THE LAND.

CULTURE


OUR CULTURE AND CAPABILITY EQUAL JUST RIGHT, FIRST TIME, EVERY TIME.

Our CRISP values underpin everything we do. Care, Respect, Innovation, Sincerity & Passion

THE WORLD'S MOST **RELIABLE LIQUID TRANSPORT** TANK SOLUTIONS

TTi, or Trans Tank International is respected as Australia's Leading Manufacturer of rotationally moulded poly tanks, and has been for over 20 years.

> TTI COMMUNITY









WHO ARE WE

WE PRIDE OURSELVES ON BEING:





ENVIRONMENTALLY

AWARE



We generate enough solar power to run our entire factory



We commit to recycle wherever possible & continually economise our processes



OH&S and constantly strive for excellence We provide training & development for the personal

COMMITTED TO THE HEALTH

We are passionate about

& SAFETY OF OUR PEOPLE







Respect








Passion











***GST included** | Freight Rates Apply

PRODUCT DIRECTORY

| TANKS LIQUID TRANSPORT TANKS | | |
|---------------------------------|----|--|
| AquaTrans™ AquaMove™ | 14 | |
| AquaDelivery™ | 20 | |
| TransLoc™ | 22 | |
| InterLoc™ | 23 | |
| SumpTrans™ | 24 | |
| Tank Accessories | 30 | |
| | | |



| nter™ | 32 |
|----------------|----|
| <™ | 36 |
| VeedMasta™ 16R | 37 |
| VeedControl™ | 40 |
| strike™ | 42 |
| ReelStrike™ | 43 |
| | |

PRODUCT DIRECTORY

| nDeck™ | 44 |
|---|----|
| onDeck™ Compact | 48 |
| onDeck [™] Compact with SuperReel [™] | 50 |
| potPro™ | 52 |
| potPro™ Deluxe | 53 |
| opCrop™ | 54 |
| uperReel™Single | 50 |
| uperReel™Twin | 58 |
| railPro™ | 60 |
| railPro™ Deluxe | 62 |
| ilidePath™ | 64 |
| uperTrail™ | 6 |
| ilageMaster™ | 68 |
| inkOn™ | 70 |
| pray Accessories | 74 |
| emco 12v Pumps | 7 |
| pray Hose | 80 |
| uperReel™ | 8 |
| compact™ Spray Boom | 88 |
| innacle™ 'Plus' | 89 |



| DieselSergeant™ | 94 |
|------------------------------------|-----|
| DieselMajor™ | 95 |
| DieselCaptain™ | 96 |
| DieselCadet™ | 100 |
| DieselCadet [™] with pump | 104 |
| DieselPatrol14 [™] | 107 |
| DieselPatrol15™ | 108 |
| Diesel Accessories | 112 |
| BluEmission™ | 116 |
| | |



120

FireCombat™

| FireGuard™ | 120 |
|----------------|-----|
| FireBoss™ | 121 |
| FireDefence™ | 122 |
| FireAttack™ | 124 |
| AquaPath™ | 126 |
| FirePatrol14™ | 130 |
| FirePatrol15™ | 132 |
| PantherPatrol™ | 136 |



| 138 |
|-----|
| 140 |
| 142 |
| 144 |
| 148 |
| 149 |
| |

WHAT'S NEW



OnDeck™ 50m SuperReel[™]

300L UTV Sprayer with Single 50m Reel

- 6 50m Single SuperReel™
- Honda GX200 Engine
- Compact Design
- Fits UTVs including Polaris and Kubota



OnDeck[™] 100 - 150m SuperReel[™]

300L UTV Sprayer with Single/Twin Reel

- Single 100m or 150m 12v SuperReel™ Auto-rewind Reel
- Honda GX200 Engine
- Compact Design Suited for Kubota and LandBoss



Remco 12v Pumps

Professional 12v Spray Pumps

- High Flow Rate with Less amp Draw
- Longer Duty Cycle
- 2000 Hour Life Expectancy
- 12-Month Warranty



Compact Booms 4m, 6m & 8m

Galvanised Compact Spray Booms

- Breakaway Boom with Nozzle Protection
- Hot Dip Galvanised for Longevity
- Compact, Low-Profile Design



See page **70**

Link0n[™] 3PL Sprayer

- Slotted Boom-Mount Brackets for Easy Boom Height Adjustment
- New 'Compact' Boom Design Reduced Stress on Boom and Sprayer
- Optional Side Step for Easy Lid Access (600L - 1000L)




See page **81**

SuperReel[™] 50m & 100m/150m

Auto-Rewind 12v Reel - New Enhanced Design

- Powerful Belt-Driven 12v Motor
- Geared Reduction for Maximum Torque and Power Efficiency
- Easy Bolt-Down Points with Tough Powder-Coated Finish













LIQUID TRANSPORT

WHAT MAKES TTI'S TANKS UNIQUE?

Over 20 years specialising in the manufacture of quality water cartage tanks

TTi has over 20 years specialising in the manufacture of quality water cartage tanks. We do not dilute our focus by producing storage tanks and other roto-moulded products.

Did you know the DNA of every TTi tank is recorded? This combined with rigorous quality checks including ultrasound thickness testing and laboratory impact testing ensures that our clients are getting the very best available tanks on the Australian market, giving you peace of mind. Our unmatched tooling engineering is reflected in every moulded TTi Tank.

WATER CARTAGE TANKS

Tank Sizes: 20 Litres to 17,000 Litres



KEY FEATURES



Extra thick tank wall structure with a load capacity of up to an enormous 1.3 Specific Gravity on all AguaTrans™ Exclusive, specially developed and formulated polyethylene powder incorporating the latest technology



Easy-to-read calibration on side wall of tank for quick measurement of contents (when sight level tube is fitted)



Specifically designed footings to enable easy mounting to any tray surface - mounting pins included.

Factory-fitted outlet with every tank UV stabilised to withstand the elements; All tanks are cooked to temperature, not time





Potable Water N

Chemicals Virtually Any Other Liquid!

10 Trans Tank[®] International | Product Catalogue 2024

0

*GST included | Free Call 1800 816 277 | www.tti.com.au

GET ANY TANK IN YOUR CORPORATE COLOUR








SUPPLIED WITH PINS & WEDGES


FOR EFFECTIVE MOUNTING





*Note: Wedges supplied for tanks 8,000L+

***GST included** | Freight Rates Apply



AQUATRANS[™] / AQUAMOVE[™]

Water Cartage Tanks with 15 or 20-Year Warranty





\$295*

ø255 Lid Assembly

SKU: PTC00400ASG

34" Poly Drain Bung & Seal

925 x 710 x 510mm (LWH) ø255 Lid Assembly ¾" Poly Drain Bung & Seal SKU: PTC00220SG

| *GST included | Freight Rates Apply |
|---------------|---------------------|

SKU: ASFD00220

SKU: SSF001

Top-Mount Steel Pump Plate

\$**295***

SKU: ASFD00400A

SKU: SSF001

Top-Mount Steel Pump Plate

What's the Difference?



AquaTrans™

There is nothing much in the way of a rotationally moulded polyethylene water cartage tank that compares with the TTi AquaTrans™ tank range.

A really heavy-duty tank with a 20-year warranty is just part of the deal. The AquaTrans[™] is a premium product and is in a league of its own. This is the bees' knees!

AquaMove™

Without any compromise, the AquaMove™ range has been introduced to be a player in the price sensitive end of the market.

With a slightly lighter design than the AquaTrans[™] and a 15year warranty, this is the everyday range.

Water Cartage Tanks

YFARS

TANK WARBANTY


YEARS

TANK WARRANTY









1430 x 1220 x 835mm (LWH); Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 1½" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 24pcs \$312*

1720 x 1230 x 840mm (LWH); Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 1½" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 29pcs \$377*

1720 x 1230 x 1000mm (LWH); Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 1½" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 40pcs \$520*

AQUATRANS[™] / AQUAMOVE[™]



LWH: 2430 x 1540 x 1450mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 110pcs \$1,430*
 ★ Steel Mounting Frame \$4,206*

2,400 Litres AquaTrans[™] 20-Year Warranty SKU: PTC02400SG \$3,867* LWH: 2150 x 1410 x 1140mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted) ★ LiquidLocker[™] 66pcs 858^{*} * Steel Mounting Frame \$2.650* **5,000** Litres

| quaTrans™ 20-Year Warranty SKU: PTC05000SG | AquaMove™ 15-Year Warranty SKU: STC05000SG | | |
|---|---|-------------------|--|
| \$7,101* | \$ 6,430 * | | |
| LWH: 2760 x 2000 x 1400mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2″ MBSP Fitting-Poly (fitted) | | | |
| ★ LiquidLocker [™] 1 | 138pcs | \$ 1,794 * | |
| ★ Steel Mounting | g Frame | \$5,940* | |

| () () () () () () () () () () () () () (| Litres |
|---|---|
| AquaTrans [™] 20-Year Warranty SKU: PTC03000SG | AquaMove [™] 15-Year Warranty SKU: STC03000SG |
| \$5,062* | \$4,445* |
| LWH: 2430 x 1540 x 1200mm | n; Mounting Pins Provided; |

ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

★ LiquidLocker[™] 85pcs
 \$1,105*
 ★ Steel Mounting Frame
 \$4,206*



SKU: PTC06000SG

\$8,324*

LWH: 2760 x 2000 x 1540mm; Mounting Pins Provided; ø455 Lid, Rim, & Seal Assy; 2" MBSP Fitting-Poly (fitted)

tiquidLocker[™] 165pcs ^{\$2,145*}
 Steel Mounting Frame ^{\$5,940*}





AQUATRANS[™] / AQUAMOVE[™]



13,000 Litres

AquaTrans[™] 20-Year Warranty SKU: PTC13000ASG

\$16,605*

LWH: 4310 x 2350 x 1795mm; Pins and Wedges Supplied; 2 x ø455 Lid, Rim, & Seal Assy; 3" MBSP Fitting-Brass

★ LiquidLocker[™] 385pcs \$5,005* * Steel Mounting Frame \$7,713*



AquaTrans[™] 20-Year Warranty SKU: PTC17000SG

\$22,362*

LWH: 4310 x 2350 x 2395mm; Pins and Wedges Supplied; 2 x ø455 Lid, Rim, & Seal Assy; 3" MBSP Fitting-Brass

★ LiquidLocker[™] 505pcs \$6,565* Steel Mounting Frame \$7,713*

Water Cartage Tanks with 15 or 20-Year Warranty



15,000 Litres

AquaTrans[™] 20-Year Warranty SKU: PTC15000SG

\$19,759*

LWH: 4310 x 2350 x 2040mm; Pins and Wedges Supplied; 2 x ø455 Lid, Rim, & Seal Assy; 3" MBSP Fitting-Brass

★ LiquidLocker[™] 445pcs <mark>\$5,785</mark>* * Steel Mounting Frame \$7,713*



LOW-PROFILE DESIGN

FOR MAXIMUM VEHICLE STABILITY



The Locker that Stops The Slosh!

Complies with load restraint guide performance standards

| Suita | ble for u | se with all tanks | - poly, steel |
|--------|------------|-------------------|---------------|
| fibreg | lass, alui | minium, etc. | |

| 4 | | < | |
|---|---|---|--|
| ð | V | | |
| | - | | |

V

V

LiquidLocker[™] baffles can be used with water, diesel and other liquids

Simple to install LiquidLocker[™] baffles are supplied in two halves



LiquidLocker™ Anti-Surge Baffling Safety System (Supply Only)

\$11*

Ø**380mm**

1 Ball per 33 Litres (1:33) SKU: LLB380

LiquidLocker Testing & Demonstration Results:

100% **ELIMINATION OF** LIQUID SURGE

80% **IMPROVED CORNERING &**

MANEUVERABILITY

40%

SHORTER BRAKING DISTANCE

50%

VEHICLE WEAR AND TEAR REDUCTION

JUST 1.7% OF CAPACITY

*Results may vary depending on tank size, vehicle & road conditions

AquaDelivery[™] —

Bulk Water Delivery with Honda GX200 and 3" Water Delivery Pump

 \checkmark

 \checkmark

Heavy-duty water cartage tank on forkable steel frame

Honda GX200 (Electric Start) Motor with QP303 1000L/min Transfer Pump

Lockable Toolbox with 2 x 10m Lengths of Certified Potable Food Grade Layflat Hose

Hydrant Filler Lid with Spring non-return valve




Bulk Water Delivery Unit



| CODE | CAPACITY (LITRES) | RRP*(\$) | CODE | CAPACITY (LITRES) | RRP*(\$) |
|--------------|----------------------|--------------------|------------|----------------------|-----------|
| PWD05000L | 5,000 Litres | \$ 19,541 * | PWD12000L | 12,000 Litres | \$28,445* |
| PWD06000L | 6,000 Litres | \$ 20,643 * | PWD13000L | 13,000 Litres | \$30,786* |
| PWD07000L | 7,000 Litres | \$23,531* | PWD13000AL | 13,000 Litres | \$30,786* |
| PWD08000AL | 8,000 Litres | \$ 24,654 * | PWD15000L | 15,000 Litres | \$33,338* |
| PWD10000ALSG | 10,000 Litres | \$26,691* | PWD17000L | 17,000 Litres | \$35,450* |

FRAMES Forkliftable Tank Skids



To Suit Tanks from 500L to 1,500L

Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

Frames standard with forklift pockets from all four sides

| SKU | DESCRIPTION | KG | L X W (MM) | RRP* (\$) |
|------------|--|----|-------------|-----------|
| ASFCA00500 | Steel Frame for 500L & 600L SumpTrans, includes forklift tine pockets on all sides | 37 | 1630 x 1010 | \$2,487 |
| ASFCA00800 | Steel Frame for 800L & 1000L SumpTrans, includes forklift tine pockets on all sides | 53 | 1780 x 1110 | \$2,684 |
| ASFCA01200 | Steel Frame for 1200L & 1500L SumpTrans, includes forklift tine pockets on all sides | 72 | 1780 x 1344 | \$2,876 |



To Suit Tanks from 2,000L to 17,000L

Forkliftable for easy lift on, lift off convenience

Simple tank to frame SureFit mounting system

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection

| SKU | DESCRIPTION | KG | L X W (MM) | RRP* (\$) |
|------------|--|-----|-------------|-----------------|
| ASFC02000 | Steel Frame for 2000L & 2400L AquaTrans™ | 190 | 2910 x 1410 | \$ 2,650 |
| ASFC03000 | Steel Frame for 3000L & 4000L AquaTrans™ | 218 | 3020 x 1355 | \$4,206 |
| ASFC05000 | Steel Frame for 5000L & 6000L AquaTrans™ | 302 | 3500 x 1820 | \$5,940 |
| ASFC07000 | Steel Frame for 7000L , 10000L & 13000L AquaTrans [™] | 410 | 4100 x 2200 | \$6,875 |
| ASFCA08000 | Steel Frame for 8000L, 10000L & 12000L Tipper AquaTrans | 428 | 4210 x 2000 | \$6,875 |
| ASFC13000 | Steel Frame for 13000L , 15000L & 17000L AquaTrans™ | 480 | 5300 x 2330 | \$7,713 |

*Disclaimer: Check compatibility with your forklift width between tynes

*Disclaimer: Check compatibility with your forklift width between tynes

TransLoc™

Heavy Duty Modular Water Cartage Tanks

Heavy-Duty

Modular Water Cartage Tanks






Expandable Capacity



Modules can be plumbed to **drain** independently or together!

Low-Profile Design

Market Safety





Free-standing design allows for mounting to flat deck truck/trailer. Unique 2 x 6" connections between modules for even filling/draining.

Fully baffled every 3,000 Litres to minimise surge (optional LiquidLocker™ baffles). Low profile design for improved safety.

InterLoc™

Fully-Drainable Chemical Tanks



Needing to cart different chemicals in one load? Modules can be plumbed to drain independently or together!

Fully baffled every 2,500 Litres to minimise surge (optional LiquidLocker™ baffles). Low profile design for improved safety.

Fully-Drainable

Modular Tank System





Needing to cart different chemicals in one

Standard with **Steel-Mounted Frame**




Modules can be plumbed to drain independently or together!

Fully **Baffled** (Every 2500 litres)



SumpTrans[™]

Fully-Drainable Chemical Tanks




TTi's SumpTrans[™] tanks have excellent impact resistant qualities and impervious to some of the most agressive chemicals. SumpTrans™ incorporate the latest technology to easily handle any work environment.

KEY FEATURES Large tank opening for fast, easy filling. Sealed with 455mm lid anufactured from chemical resistant, UV stabilised with labyrinth breather (600L+) polyethylene



Easy fill, no spill containment lip on all sprav tanks above 500L





Fully draining sump with smooth interior and enables complete drainage and decontamination of tank



Basket filter supplied with tanks 200 Litres and larger

Available with robust hot-dip galvanised steel mounting frame for correct tank support and ease of mounting

Scan to see this product in action!

TANK WARRANT



SureFit[™] safe and secure mounting pin system



ALIM

SUMPTRANS[™]

Fully-Drainable Chemical Tanks





TANK FRAMES

All spray tanks require a steel mounting support frame to give sump clearance

TTi's steel frames are over engineered and hot dip galvanized for long lasting protection.


Cutaway

Shows Fully Draining Tank Floor



End View

Shows 'V' Frame Supporting Tank







94





100 Litres

Tank Only 815 x 450 x 595mm (LWH) SKU: PTSS00100SG

Tank Only

1270 x 615 x 730mm (LWH)

SKU: PTSS00300SG

\$1,023*

with Frame 815 x 450 x 600mm (LWH) SKU: PTSS00100KSG

\$966*

with Frame

1270 x 615 x 750mm (LWH)

SKU: PTSS00300KSG

\$1,395*

\$567*

ø150 Lid Assembly Complete; Pair of mounting straps; 1" MBSP Fitting-Poly; Skid Frame

300 Litres

ø255 Filter Basket; ø255 Lid Assembly Complete; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



200 Litres

| with Frame 940 x 600 x 760mm (LWH) SKU: PTSS00200KSG |
|---|
| \$1,147* |
| |

ø255 Filter Basket; ø255 Lid Assembly Complete; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame





| \$ 1,023 * | \$ 1,395 * |
|---|-------------------|
| ø255 Filter Basket; ø255 Lid Assembly Complete; | |

11/2" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



200 Litres (Low Profile)

| Tank Only 960 x 690 x 550mm (LWH) SKU: PTSP00200SG | with Frame 1085 x 700 x 600mm (LWH) SKU: PTSP00200KSG |
|---|--|
| \$842* | \$1,117* |
| ø255 Filter Basket; ø255 Lid Assembly Complete; | |

3/4" MBSP Fitting-Poly; Pump Compartment Cover; Skid Frame



400 Litres (Low Profile)

| Tank Only | with Frame |
|--------------------------|--------------------------|
| 1145 x 850 x 680mm (LWH) | 1230 x 850 x 710mm (LWH) |
| SKU: PTSP00400SG | SKU: PTSP00400KSG |
| \$1,178* | \$1,922* |

ø255 Filter Basket; ø255 Lid Assembly Complete; Pump compartment cover; ¾" MBSP Fitting-Poly; 4x8x100mm BSW HED HD Bolt; 8 x 8mm washers, 4 x 8mm; nyloc nuts; Skid Frame

125





400 Litres

| Tank Only | with Frame |
|------------------------|-------------------------|
| 90 x 820 x 960mm (LWH) | 890 x 820 x 975mm (LWH) |
| SKU: PTSS00400SG | SKU: PTSS00400KSG |
| \$1,185* | \$1,944* |

ø255 Lid Assembly Complete; ø255 Filter Basket; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



| Tank Only 50 x 1070 x 590mm (LWH) SKU: PTSP00500SG | with Frame 1250 x 1070 x 630mm (LWH SKU: PTSP00500KSG | |
|---|--|--|
| \$ 1,330 * | \$2,116* | |
| a 255 Lid Accomply Complete, a 255 Filter Peaket | | |

ø255 Lid Assembly Complete; ø255 Filter Basket; 1½" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame



600 Litres

| Tank Only | with Frame |
|--------------------------|---------------------------|
| 1200 x 840 x 970mm (LWH) | 1200 x 840 x 1000mm (LWH) |
| SKU: PTSS00600SG | SKU: PTSS00600KSG |
| \$1,338* | \$ 2,105 * |

ø255 Lid Assembly Complete; ø255 Filter Basket; 1½" MBSP Fitting-Poly; Straps Only (pair); Skid Frame



600 Litres

| Tank Only 50 x 1070 x 750mm (LWH) SKU: PTSP00600SG | with Frame 1250 x 1070 x 790mm (LWH) SKU: PTSP00600KSG | |
|---|---|--|
| \$1,447* | \$2,324* | |
| ø455 Lid Assembly Complete; ø455 Filter Basket; | | |

11/2" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame



ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket 1½" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame



1,000 Litres

| Tank Only 1430 x 1220 x 940mm (LWH) SKU: PTSP01000SG | with Frame 1430 x 1220 x 980mm (LWH) SKU: PTSP01000KSG | |
|---|---|--|
| \$ 1,881 * | \$3,006* | |
| ø455 Lid. Rim. & Seal Assy: ø455 Filter Basket | | |

11/2" MBSP Fitting-Poly; 4 Pins 18 x 200; Skid Frame

SUMPTRANS[™]





1,200 Litres

Tank Only 1700 x 1200 x 950mm (LWH) SKU: PTSP01200SG

with Frame 1700 x 1200 x 990mm (LWH) SKU: PTSP01200KSG

\$2,115* \$3,456*

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; 1½" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame



| Tank Only 1700 x 1200 x 1150mm (LWH) SKU: PTSP01500SG | with Frame 1700 x 1200 x 1190mm (LWH) SKU: PTSP01500KSG |
|--|--|
| \$2,659* | \$ 4,116 * |
| ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; | |

11/2" MBSP Fitting-Poly; 4 Pins 18 x 260; Skid Frame



2,000 Litres

| Tank Only 2150 x 1410 x 1150mm (LWH) SKU: PTSP02000SG | with Frame 2150 x 1410 x 1180mm (LWH) SKU: PTSP02000KSG |
|--|--|
| \$3,390* | \$5,261* |
| ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; 2" MBSP Fitting-Poly; 4 Pins 24 x 260; Skid Frame | |



| Tank Only | with Frame |
|----------------------------|----------------------------|
| 2150 x 1410 x 1310mm (LWH) | 2150 x 1410 x 1360mm (LWH) |
| SKU: PTSP02400SG | SKU: PTSP02400KSG |
| \$3,978* | \$ 5,871 * |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame



| Tank Only 2430 x 1540 x 1280mm (LWH) SKU: PTSP03000SG | with Frame 2430 x 1540 x 1350mm (LWH) SKU: PTSP03000KSG |
|--|--|
| \$5,280* | \$8,400* |
| | |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame



| Tank Only | with Frame |
|----------------------------|----------------------------|
| 2430 x 1540 x 1530mm (LWH) | 2430 x 1540 x 1550mm (LWH) |
| SKU: PTSP04000SG | SKU: PTSP04000KSG |
| \$5,963* | \$9,096* |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 260; Skid Frame

SUMPTRANS[™]

Fully-Drainable Chemical Tanks



5,000 Litres

| Tank Only | with Frame |
|---------------------------|--------------------------|
| 760 x 2000 x 1520mm (LWH) | 2760 x 2000 x 1620mm (LW |
| SKU: PTSP05000SG | SKU: PTSP05000KSG |
| \$ 6,927 * | \$ 10,099 * |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame



| 2760 × 2000 × 1670mm (LWH) SKU: PTSP06000SG | 2760 x 2000 x 1770mm (LWH) SKU: PTSP06000KSG |
|--|---|
| \$8,669* | \$ 12,200 * |
| | |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 330; Skid Frame



| Tank Only 3600 x 2100 x 2319mm (LWH) SKU: PTSP12000SG | with Frame 3600 x 2100 x 2473mm (LWH) SKU: PTSP12000KSG |
|--|--|
| \$ 16,690 * | \$ 21,490 * |
| | |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 480; Skid Frame

| NEW DESIGN! | | |
|--|---|--|
| 8,000 Litres | | |
| 3600 x 2100 x 1619mm (LWH) SKU: PTSP08000SG | 3600 x 2100 x 1773mm (LWH) SKU: PTSP08000KSG | |
| \$ 12,750 * | \$17,750* | |
| ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 330; Skid Frame | | |



| Tank Only 3480 x 2250 x 2420mm (LWH) SKU: PTSP13000SG | with Frame 3480 x 2250 x 2470mm (LWH) SKU: PTSP13000KSG |
|--|--|
| \$ 17,785 * | \$22,067* |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 4 pins 24 x 480; Skid Frame



| Tank Only | |
|----------------------------|----------|
| 3600 x 2100 x 1960mm (LWH) | 3600 x 2 |
| SKU: PTSP10000SG | SKU |
| | |

ø455 Lid, Rim, & Seal Assy; ø455 Filter Basket; ø455 Lid Seal Only; 2" MBSP Fitting-Poly; 6 pins 24 x 480; Skid Frame

: PTSP10000KSG

\$19,082*

\$14,801*

Tank Accessories



| Sight Level Kit (Fitted) | |
|---------------------------------|-----------|
| \$ 114 * | Level Kit |
| See Your Tank Liquid Level at a | |

| Tank Outle | et Fittings | |
|------------|-------------------------------------|-----------------|
| SKU | DESCRIPTION | RRP*(\$) |
| ARFB025 | 1" Brass tank outlet | \$ 66 * |
| ARFB032 | 1¼" Brass tank outlet | \$ 88 * |
| ARFB038R | 1½" Brass tank outlet | \$ 103 * |
| ARFB050R | 2" Brass tank outlet | \$ 128 * |
| ARFB080R | 3" Brass tank outlet - with Reverse | \$ 238 * |

Thread to Prevent Loosening 4" Brass tank outlet - with Reverse

Thread to Prevent Loosening

FLANGED BRASS

ARFB100R

LLE

LLB



| SKU | DESCRIPTION | RRP*(\$) |
|----------|---|----------------|
| ARFP020 | 3/4" Tank Outlet - Flanged Poly | \$ 20 * |
| ARFP025 | 1" Tank Outlet - Flanged Poly | \$ 20 * |
| ARFP032 | 1¼" Tank Outlet - Flanged Poly | \$ 23 * |
| ARFP038 | 1½" Tank Outlet - Flanged Poly | \$ 34 * |
| ARFP050 | 2" Tank Outlet - Flanged Poly | \$ 39 * |
| ARFP050R | 2" Tank Outlet - Reverse Thread with 2 Seals Supplied M & F Threads | \$60* |



| 3" | Hydr | ant | Fill | Lid |
|----|------|-----|------|-----|
| | | | | |

\$1,313* Fill Lid

Hydrant Fill System with Tilt-Lid Mechanism & 3" Top Pipe SKU: ARHO80



| 80mm | Hydrant | Funnel Lid |
|------|---------|-------------------|
|------|---------|-------------------|

| \$2,447* | Funnel Kit |
|------------------------------|------------|
| Funnel Fill System with Mesh | |

Basket & 3" Top Pipe SKU: ARU450F

| LIDS & BASKETS | PP (%) |
|----------------|--------|
| | |

\$**356***

| l U | DESCRIPTION | nnr"(əj |
|------------|--|-----------------|
| LP150AV | Female Thread Tank Lid (150mm) - with Spring Breather Valve & Gasket | \$ 37 * |
| LP250VSR | Male Thread 'Smoothe-Line Lid (255mm) - with Fixed Ring; Labyrinth Double Breather Valve | \$ 77 * |
| LP450VSS | Screw Tank Lid (455mm) - with Rim and Seal; Fixed Labyrinth Double Breather Valve | \$ 135 * |
| LP450VSR | Hinged Tank Lid (455mm) - with Rim and Seal 180°; with Fixed Ring; Labyrinth Breather Valve | \$ 135 * |
| LS450VSR | 450mm Stainless Steel Hinged Lid | \$ 580 * |
| 130065 | 450mm Aluminium Lid | \$ 399 * |
| K200 | Basket Filter (250mm) - To suit 255mm Lid; 18# Screen 210mm ø x 235mm deep | \$ 63 * |
| K400 | Basket Filter (450mm) - To suit 455mm Lid; 18# Screen 410mm ø x 235mm deep | \$ 81 * |
| B195 | BallBaffle™ Ø195mm - 1 ball per 7 Litres | \$ 8 * |
| B380 | LiquidLocker™Ø380mm - 1 ball per 33 Litres | \$ 13 * |
| | | |











<u>inter</u>

Inter[™] Knapsack & Compression Sprayers



Hand-Operated Compression Sprayers Less Pumping - More Spraying






inter Accessories

Quick Fit Accessories for Maximum Spray Options







Flexible Double Nozzle


Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

Used for basal bark spraying and ant block treatments



Telescopic Lance


Gives your sprayer extendible length to reach hard to access areas.






Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.



Lance Extensions



iK IK[™] INDUSTRIAL SPRAYERS with 5-Year Warranty

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

Made of special, high resistance materials for use with various chemicals

Viton seals for excellent chemical resistance and durability

See liquid level at a glance with tank graduations

Pressure safety valve ensures sprayer is protected from over pressurisation



Ideal for: ✓ Truck Washing ✓ Animal Husbandry ✓ Brick Cleaning ✓ Amenity Cleaning ✓ Carpet Cleaning ✓ Disinfecting ✓ Wallpaper Stripping ✓ Degreasing R









Hand-

\$241*



| Held Sprayer | Knapsack Sprayer | |
|--------------|------------------|--------------|
| IK 8 Litres | \$ 299 * | IK 12 Litres |
| U: PGK0008L | SKU: | PGK0012L |

WeedMasta™ 16R –

Rechargeable Knapsack Sprayer with Trolley

- ♦ 16 Litre capacity tank. ergonomically designed for maximum carrier comfort
- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery

- No more frustrating tangles with our kink resistant hose
- Sturdy trolley with large handle and wheels for ergonomic operation
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- Supplied with battery charging kit





TIRED OF PUMP-UP HAND SPRAYERS?

Over 2 hours of continuous spraying from a single charge!

Pump: Speed Control

\$359* 16 Litres

Pump: Speed Control with 2.4 L/min 70psi SKU: SVB0016L0024T

0

WeedControl[™] -**SPOT SPRAYERS**

Spot Sprayers with 12v Pump

Spot Sprayers with 8.3 L/min Pump & Powerjet Spray Gun.


The WeedControl[™] 12v Sprayer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be mounted to UTEs, UTV's and ATVs, ensuring your spraying task gets completed safely.










4.5m Spray hose with

PowerJet spray gun

& adjustable brass









2.4m electrical cables with 12v adaptor & alligator clip





The WeedControl[™] 12v spray trailer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl[™] is designed to be towed by a standard or zero-turn mower ensuring your spraying task gets completed safely.

with Solid Rubber Tyres



Standard drawbar for smooth towing suitable for any mower \$1.123* \$1.211* **55** Litres 95 Litres 12v 8.3 with 2m Boom 12v 8.3 with 2m Boom SKU: SVT0055L0077B2 SKU: SVT0095L0077B2 **ZERO-TURN TRAILERS** Long drawbar for extra-sharp turning - up to 90° more suitable for zero-turn mowers

| \$1,123* | \$1,211* | |
|--|--|--|
| 55 Litres | 95 Litres | |
| 12v 8.3 with 2m Boom SKU: SVT0055L0077ZB2 | 12v 8.3 with 2m Boom SKU: SVT0095L0077ZB2 | |

ATV TRAILERS

STANDARD TRAILERS

Large pneumatic tyres for handling rough terrain - suitable for mowers and ATV's

| \$ 2,570 * | \$2,809* |
|----------------------|----------------------|
| 150 Litres | 225 Litres |
| 12v 8.3 with 3m Boom | 12v 8.3 with 3m Boom |

SKU: SVT0150L0077B3

SKU: SVT0225L0077B3

WEEDCONTROL[™] BOOMS AND ACCESSORIES



Strike™ Professional 12v Spot Sprayers

The Strike, a sprayer that has proved itself over many years as a versatile and reliable professional 12v sprayer in our TTi range.





ReelStrike[™] –

Professional 12v Spot Sprayers with 30m Reel

The ReelStrike[™], a TTi icon sprayer that has proved itself over many years as the most versatile and reliable professional 12v sprayer in our TTi range.

The 30m reel allows you to access those "hard to get to" areas, while the 100psi pump gives you that extra pressure when you need to hit your spray target from a distance.

> **KEY FEATURES** 8.3L/min 100psi Fully-drainable emco 12v pump tank with a sturdy nounted under hot dip galvanised np cover for base frame 30m heavy duty polv hose ree ith Power, le

Pressure regulator and gauge for accurate & controlled





OnDeck[™] 300L Purpose-Built UTV Sprayer



Possibly the most unique and well-designed UTV Sprayer, the OnDeck^m suits the ever growing UTV market.

The 300L model comes in a clever choice of pump, motor and hose reel combinations. From weed spraying to firefighting, the OnDeck range is sure to be a valuable investment.



RANCER

POLA JS

1

*GST included | Free Call 1800 816 277 | www.tti.com.au







KEY FEATURES



Fully-drainable Tank with tie-down provisions & tegrated lifting handles



Pressure regulator with gauge & bypass system




Integrated freshwater bottle & tap for hand-washing



Galvanised Forkable

Steel Frame






Fits UTVs including:

Dim (LWH): **1000 x 1250 x 600**mm





Solenoid (Fitted) SKU: ATVS10B036

SKU: ABMO4O-GN



















| 0 Litres | \$2,778* | 150 Litres |
|-----------------|--|------------|
| mp; ۱ | 8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun | |
| | SKU: PUDO1 | 50L0076H3 |




8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun SKU: PUDA0300L0076H3



OnDeck[™] WITH SUPERREEL[™]

Compact Single or Twin Reel Sprayer

Dim (LWH): 980 x 1185 x 1095mm



4m Folding Boom with Hayman **Reece Attachment**

SKU: ABMO40-GN

Boom Elec On/Off Control with Solenoid (Fitted)

SKU: ATVS10B036

COMPACT WITH SUPERREEL[™]



\$10,990³ **300** Litres 34 L/min Pump & GX200 Single 100m SuperReel[™] SKU: PUDT0300L0340Q1



SKU: PUDT0300L0340Q2

Oim (LWH): 980 x 1185 x 1095mm











\$15,904^{*} **300** Litres 34 L/min Pump & GX200 Twin 100m SuperReel™ SKU: PUDTO300LO340TQ1





SKU: PUDTO300LO340TQ2

***GST included** | Freight Rates Apply

SpotPro™ Motorised Spot Sprayer

TTi's SpotPro[™] sprayers features a powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel.





*GST included | Free Call 1800 816 277 | www.tti.com.au

SpotPro™ Deluxe

Deluxe Motorised Spot Sprayer

The SpotPro™ Deluxe features a fully drainable tank for maximum use of spray mix, mounted to a forkable steel frame.

The powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel. It's the preferred UTV Weed Sprayer, by many satisfied customers.





TopCrop™ Professional UTE Slip-On Field Sprayer



KEY FEATURES



22L/min Bertolini Italian Pump



Fully-drainable Sump Tank with 455mm Hinged Lid & Basket Filter

Scan to see this product in action!



Genuine Reliable Honda GX200



Galvanized Steel Frame with Forklift Pockets



Heavy-duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Pressure Regulator with Gauge for Controlled Spraying & Bypass Agitation System

A high performing UTE mounted field sprayer. Boasting a genuine GX200 Honda Motor, coupled to the reliable Bertolini pump, and 30m hose reel.

AXQ-797

The forkliftable steel frame allows both easy loading and safe securing of your spray unit to your vehicle, allowing it to be put to work in minutes.

TOPCROP

Professional UTE Slip-On Field Sprayer





\$5,472*

300 Litres

1250 x 600 x 950mm SKU: PUF0300L0220H3



\$7,103*

400 Litres

1489 x 970 x 1100mm

SKU: PUFSO400L0220H3



\$**7,233*** 500 Litres

1740 x 1250 x 760mm SKU: PUF0500L0220H3



\$7,414*

600 Litres

1740 x 1250 x 920mm SKU: PUF0600L0220H3



\$8,016*

800 Litres

SKU: PUF0800L0220H3



\$**8,275***

1000 Litres

1900 x 1430 x 1000mm SKU: PUF1000L0220H3




\$**2,692*** 4m Boom

4m Galvanised Steel with Boom Bracket Arms

\$3,248*

6m Boom

6m Galvanised Steel with Boom Bracket Arms



with Boom Bracket Arms
UPGRADE!
50m SuperReel**

\$2,933*

SuperReel[™] SINGLE

Field Sprayer with Single Auto-Rewind SuperReel™

The SuperReel™ slip-on field sprayer is the professionals proven choice.

The heavy-duty electric rewind reel features a powerful 120w 12v motor and is capable of winding up to 150m of hose. The FrictionFree™ nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.



KEY FEATURES



34L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine







Single 100m 12v Auto Rewind SuperReel™ with Wireless Remote Control



Upgrade to 150m Length Reel





***GST included** | Freight Rates Apply

SuperReel[™] TWIN

Id Sprayer with Twin Auto-Rewind SuperReel™

Increase Your Spraying Efficiency with the SuperReel™ twin reel slip-on field sprayer.

The professionals proven choice, the SuperReel Sprayer with twin heavy-duty electric rewind reels are capable of winding up to 150m of hose. The FrictionFree™ nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.





KEY FEATURES



54L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine







Twin 100m 12v auto rewind SuperReel's with wireless remote control



Anti-kink nylon hose with adjustable Turbo400 spray guns

Upgrade to 150m Length Reels



TWIN REEL

Field Sprayer with Twin Auto-Rewind SuperReel™





***GST included** | Freight Rates Apply

SUPERREEL



TrailPro[™] ATV/UTV Spray Trailer

The hitch and go convenience of the TrailPro[™] trailed sprayers for ATV/UTV's, gives you the versatility of reel spraying and boom spraying from the one unit!

The 200L or 400L TrailPro™ trailer is fitted with the Honda GX200 motor, coupled to the renowned Bertolini Italian pump, so its genuine, powerful, and reliable pump and motor combination. The Standard trailer is fitted with a 8.3 L/min 100psi 12v pump which is mounted underneath a protected pump cover. Simply hitch up to your ATV or UTV and get your spraying jobs done with ease!

TrailPro[™] ATV/UTV 12v Spray Trailer

The hitch and go convenience of the TrailPro 12v ATV boom spray trailer is second to none. Quiet yet powerful, the 12v TrailPro is a true pleasure to use and operate.

Compact, tough, economical, the 12v TrailPro makes for safe spraying, and gives the operator the versatility of reel spraying and boom spraying from the one unit.

/min 100psi

emco 12v Pump

Under Protected

sket Filte



KEY FEATURES 8.3 L/min 12v Pump; 6m Hose & Lance; 8.3 L/min 12v Pump; 1.2m Versatile Boom; 1.2m Versatile Boom 30m Hose Reel SKU: PRAVO200L0076-VB SKU: PRAVO200L0076H3-VB turdy Hot Dip vanised Stee sis with Flotation 1.2m Versatile Boom Fitted with 4m Swath

ully-Drainable Tank with 250mm Screw Lid &



Scan to see this product in action!

TrailPro™ Deluxe Deluxe ATV/UTV Spray Trailer



The professionals choice, the TrailPro™ Deluxe provides unmatched performance.

The powerful GX200 Honda Engine, coupled with the Italian Bertolini 22L/min Pump, provides consistent true performance out of the spray gun or boom. The well balanced and robust design of the TrailPro handles rough terrain with ease.



22L/min 290psi Bertolini Italian Pump with Genuine Honda GX200 Engine

Sturdy Hot Dip

Galvanised Steel

Iotation Tyres

Chassis with High



KEY FEATURES







Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun or 6m Hose

*GST included | Free Call 1800 816 277 | www.tti.com.au



GlidePath[™]

Spray Trailers with Folding Boom

AXQ - 797

TTi's GlidePath™ Trailers are the perfect choice for farmers looking to keep weeds down and profits up.

Whether spraying weeds or fertilizer, the GlidePath[™] spray trailer will get the job done on time, during the optimum small window of opportunity given.



Genuine Honda GX200 engine with 75L/min Bertolini an Pump



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



C70*85

Fully-Drainable Poly Tank with 20-Year Warranty

Pressure Regulator

Controlled Spraying

with Gauge

for Accurate &

KEY FEATURES



Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



201831819月



SuperTrail[™]-

Spray Trailers with SuperReel™ Auto-Rewind Reel

Speak to us about your specific requirements

TTi's SuperTrail™ Trailers are the perfect choice spray trailer for councils, Landcare & environmental organisations.

Custom built to suit your requirements, the SuperTrail spray trailer will get the job done on time, even in the toughest terrain.

KEY FEATURES



AX0-797

Genuine Honda GX200 Engine with 4L/min 580psi Bertolini Italian Pump



Fully-Drainable Poly Tank with 20-Year Warranty



eavy-Duty Galvanised el Chassis with 65mm 2T-Rated Galvanised Axles









SilageMaster[™]

Silage Applicator with Wireless Remote Control

Silage applicator kit with 100 & 200 litre spray tank, double nozzle silage boom, regulator kit & 12 volt 8.3 L/min 100psi pump & wireless remote on/ off switch.





\$1,841*

100 Litres

Silage Applicator with 2 Nozzle Boom 815 x 450 x 600mm (LWH) SKU: PJA0100L

\$1,982*

200 Litres

Silage Applicator with 2 Nozzle Boom 940 x 600 x 760mm (LWH) SKU: PJA0200L



CUSTOM SPRAY EQUIPMENT

Call to Discuss Your Customised Spray Solutions!

Choose from a huge range of spray equipment

We build spray trailers for councils, large contractors, mines & much more!

Give our helpful customer service team a challenge to build the sprayer you need!



Call to Discuss Your Customised Spray Solutions!

1800 816 277

Link0n[™]

3-Point Linkage Professional Sprayers

Hook up and go with TTi's LinkOn™ Plus Sprayer Range.

inkOn

From small acreage farms to large scale operations, TTi's range of 3 point linkage boom sprayers are the perfect choice to get your boom spraying done on time using your tractor.

UV STABILISED, CHEMICAL RESISTANT TANK

5

HAND WASH TANK

Trans Tank[®] International | Product Catalog

70

CANAL MARKING





KEY FEATURES



Heavy-Duty Hot Dip Galvanised Frame with Forklift Pockets

75L/min Bertolini

PTO Pump with

22L/min or

. PTO Shaft



Fully-Drainable Tank with Basket Filter & 20-Year Warranty




Built-in 10L Freshwater Tank with Tap for Handwashing



Suction Filter (Fitted)







3-Point Linkage Professional Sprayers




Note: Pricing below does not include the boom or hose reel



SPEC UP YOUR LINKON™

3-Point Linkage Professional Sprayers



SPRAY Accessories

Pumps

Booms

Guns

Nozzles

(UBOTA

Reels

Foam Marker Complete Kit - Double Sided

- Double sided deluxe model with solenoid controls
- In-cab controller for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working pressure 0.75 bar at 12 volt DC
- Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts & more...

SKU: ATFOO24D

\$3,044*

\$3,604*

SKU: ATCGO430

GPS Guidance System - Matrix 430

TeeJet Matrix 430

- GPS/GLONASS engine with ClearPath technology
- Easy to install and easy to operate
- Compact install in front of the steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth[™] coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user selectable displays for worked area, worked time & more...

GPS Guidance - Matrix 570G

TeeJet Matrix 570G

- The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more...







SKU: ATCG0570



Remco 12v Pumps Tested | Trusted | Certified



High flow rate with less amp draw



2000 Hour life expectancy






VARIANTS




3.00



2.27

| \$ 283 * | |
|-----------------|----|
| 4.5 L/min 60p | si |





| | \$330* | |
|------|--------------|------|
| 8.3 | L/min 100p | si |
| | SKU: I-11355 | |
| PSI | LMP | AMPS |
| OPEN | 8.33 | 2.65 |
| 20 | 7.38 | 4.40 |
| 40 | 6.06 | 5.80 |
| 60 | 5.49 | 6.70 |
| 80 | 5.11 | 7.10 |
| 100 | 3.79 | 8.00 |

PROFESSIONAL



| * + 03 | | |
|------------------|--------------|------|
| 11.4 L/min 60psi | | |
| | SKU: I-11347 | |
| PSI | LMP | AMPS |
| OPEN | 11.75 | 4.00 |
| 20 | 8.72 | 6.00 |
| 40 | 7.20 | 8.00 |
| 60 | 5.50 | 9.50 |
| | | |





| | \$ 831 * | | |
|-----------------|-----------------|-------|--|
| 26 L/min 100psi | | | |
| | SKU: I-11796 | | |
| PSI | LMP | AMPS | |
| OPEN | 26 | 11.00 | |
| 20 | 24 | 12.00 | |
| 40 | 20 | 15.00 | |
| 60 | 16 | 19.00 | |
| 80 | 13 | 23.00 | |
| 100 | 9 | 25.00 | |



| \$ 455 * | | | |
|-------------------|--------------|-------|--|
| 15.1 L/min 100psi | | | |
| | SKU: I-12572 | | |
| PSI | LMP | AMPS | |
| OPEN | 17.24 | 4.00 | |
| 20 | 14.21 | 6.00 | |
| 40 | 11.56 | 8.00 | |
| 60 | 9.29 | 9.50 | |
| 80 | 8.34 | 10.50 | |
| 100 | 7.20 | 11.75 | |



| | | _ |
|------|-----------------|-------|
| | \$ 511 * | |
| | 20 L/min 60ps | i |
| | SKU: I-11354 | |
| PSI | LMP | AMPS |
| OPEN | 20.09 | 8.00 |
| 20 | 18 | 11.00 |
| 40 | 14.59 | 15.00 |
| 60 | 11.37 | 18.00 |
| | | |

12V PUMP PARTS & ACCESSORIES

REMCO PUMP SPARES

| SKU | DESCRIPTION | RRP*(\$) |
|--------------|--|---------------|
| 3300-PSW | Pressure switch, Remco 3300 Series 60PSI | \$ 3 7 |
| 3300-PSW-100 | Pressure switch, Remco 3300 Series, 100PSI | \$61 |
| VHA7863-7F77 | Valve Housing, Remco 3300 Series | \$84 |
| PSW-580R-60 | Pressure Switch, Remco 5500 Series, 60psi | \$61 |
| VHA5513-1X77 | Valve Housing, Remco 5500 Series | \$ 9 7 |

DELAVAN PUMP SPARES

| SKU | DESCRIPTION | RRP*(\$) |
|-----------------|--|---------------|
| CDPLHA78607E77 | Lower housing assy - for 7801 pumps; Diaphragm | \$ 102 |
| CDPLHA78637F77 | Lower housing assy - for 7800 pumps; Diaphragm | \$ 102 |
| CDP53LHA002 | Lower housing assy - for 7800 pumps; Geolast Diaphragm | \$ 153 |
| CDPVHA78637F77 | Valve housing assy for 7800 pumps | \$89 |
| CDPUHA78637F77 | Upper housing assy for 7800 pumps | \$89 |
| CDPUHA78637F77T | Upper housing assy for 7812 pumps | \$89 |
| CDP2200PSW | Pressure switch for 2200 pumps | \$ 24 |
| CDP7800PSW60 | Pressure switch to suit 7800 series pumps - 60psi | \$37 |
| CDP7800PSW100 | Pressure switch to suit 7800 series pumps - 100psi | \$ 50 |



| SKU | DESCRIPTION | RRP*(\$) |
|-------------|---|--------------|
| CDP3DFE38X2 | Quick Attach 10mm Elbow x 2 for 7800 | \$ 21 |
| CDP3DFA38X2 | Quick Attach 10mm Straight x 2 for 7800 | \$ 21 |
| CDP5DFA38X2 | Quick Attach 10mm Straight x 2 for 5900 | \$28 |
| CDP5DFE38X2 | Quick Attach 10mm Elbow x 2 for 5900 | \$28 |
| CDP3DFE12X2 | Quick Attach 12mm Elbow x 2 for 7800 | \$ 21 |
| CDP3DFA12X2 | Quick Attach 12mm Straight x 2 for 7800 | \$ 21 |
| CDP5DFA12X2 | Quick Attach 12mm Straight x 2 for 5900 | \$28 |
| CDP5DFE12X2 | Quick Attach 12mm Elbow x 2 for 5900 | \$28 |
| | | |

Quick Attach Filters

- Available in 2 sizes to suit Delavan and Remco pumps
- Stainless steel mesh filter
- Simple push in & lock fitting no tools required

| SKU | DESCRIPTION | RRP*(\$) |
|-------------|---|----------|
| ATPFS050Q10 | Quick attach filter for 7800 pumps | \$66 |
| ATPFS050Q12 | Quick attach filter for 5900 pumps (suits Remco Pumps) | \$66 |

Quick Attach Regulator & Gauge

- Fitted standard to our professional spot sprayers
- Simple push in & lock fitting no tools required
- Set & forget pressure control
- Excess fluid returns to tank & provides agitation

| SKU | DESCRIPTION | RRP*(\$) |
|--------------|---|---------------|
| ATRM020LQ10G | Quick attach regulator & gauge for 7800 pumps | \$ 165 |
| ATRM020LQ12G | Quick attach regulator & gauge for 5900 pumps (suits Remco Pumps) | \$165 |



Wire Harness Kit

- ♦ 3.6 metre wire harness kit with on/off switch
- Power control switch & fuse protection included
- Easy quick connect 2-pin plugs
- Kit includes both lighter adapter and alligator clips
- Max 10 Amp draw

| ATCWL03612VSAC | Wire harness kit complete - 10 Amp | \$66 |
|----------------|---------------------------------------|----------|
| SKU | DESCRIPTION | RRP*(\$) |



BERTOLINI **SPARE PARTS KITS**

| SKU | DESCRIPTION | RRP*(\$) |
|--------------|---|---------------|
| CBK949879973 | O-ring kit for Poly 2020 | \$145 |
| CBK949888973 | SS valves kit for Poly 2020 | \$ 152 |
| CBK949871973 | Diaphragm Kit - 20VF/RT4Poly2020 (Buna) | \$131 |
| CBK039830973 | Pump Seals Kit - PA330 | \$149 |
| CBK039850973 | Valve Kit for PA330 (up to Nov 2004) | \$184 |
| CBK039875973 | Valve Kit for PA330.1 (from Dec 2004) | \$271 |
| CBK039851973 | Diaphragm Kit - PA330 (Buna) | \$131 |
| CBK039873973 | Diaphragm Kit - PA330 (Desmopan) | \$240 |
| | | |

BERTOLINI **PUMP SPARE PARTS**

| SKU | DESCRIPTION | RRP*(\$) |
|--------------|---|---------------|
| CBK639880973 | Pump Seals Kit - Poly 73/2073 | \$131 |
| CBK639870973 | Valve Kit - Poly 73/2073 | \$ 433 |
| CBK639871973 | Diaphragm Kit - Poly 73/2073 (Buna) | \$171 |
| CBK639873973 | Diaphragm Kit - Poly 73/2073 (Desmopan) | \$326 |
| CBK239880973 | Valve Kit - PA530 | \$311 |
| CBK239829973 | Diaphragm Kit - PA530 (Buna) | \$530 |
| CBK239828973 | Buna Diaphragm Kit for PA530 | \$174 |

Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner, powerful, quiet performance that you'd expect from a larger engine - but in a very compact package.





HONDA

- THE MOST RELIABLE ENGINE

Need it coupled to a Honda GX200? just add \$1,465*

GX35 "Commando" \$2,089* 12L/min Pump; 30m Reel and Gun SKU: APPO120GH0300

34L/min Pump

3 Diaphragms; 13/8" Shaft; 580psi/40bar Max Pressure; Weight: 8.3kg

\$2,195* 1.585*

Bare Pump & Shaft SKU: APLO34OS

SKU: APLO340KG

\$2,786

Pump & Gear Box SKU: APL0540KG

Pump & Gear Box

126L/min Pump

5 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg

^{\$}2,361*

Bare Pump & Shaft SKU: APL1260S



210L/min Pump

3 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg

4,912*

SKU: APL2100S

Pump & Gear Box

75L/min Pump

1,739

3 Diaphragms; 13/8" Shaft; 218psi/15bar Max Pressure; Weight: 11kg

\$2,507*

Bare Pump & Shaft SKU: APL0750S

SKU: APL0750KG

Bare Pump & Shaft



22L/min Pump 2 Diaphragms; 13/8" Shaft; 290psi/20bar Max Pressure; Weight: 6.6kg

⁶1,350* \$1,781* Bare Pump & Shaft

Pump & Gear Box SKU: APLO22OS SKU: APLO220KG

54L/min Pump 3 Diaphragms; 13/8" Shaft; 580psi/40bar Max Pressure

\$**2,177***

Bare Pump & Shaft SKU: APL0540S

SPRAY ACCESSORIES

Bertolini Regulators

- 90 L/min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 Outlets with 10mm hose tails and ball valves
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control

Arag Regulators

- Polypropylene high capacity modular system with viton seals
- Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by CA463011S electric valves to give in cab control of boom sections.
- When ordering electric controllers select switch box to suit application

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- Models with 1, 2 and 4 output sections
- Available main valve control and pressure settings adiustment



\$790*

Arag Regulator

3 Manual Section Valves:

Manual On/Off

SKU: ATRA20B14013M3



Sting 3-Way Regulator 90L/min, 15 bar SKU: ATRB15B09013M3K



\$598* 580psi

Sting 3-Way Regulator 90L/min, 40 bar

SKU: ATRB40B09013M3K

Pressure Gauge \$**103*** 0-24 bar (340 psi) SKU: CBP830010002

Add a Gauge!



\$1.671*

Arag Regulator & Gauge 3 Manual Section Valves: Elec On/Off SKU: ATRA20B14023M3



Arag Regulator & Gauge 2 section: 2 Electric: 1 Manual Section Valves; Electric On/Off SKU: ATRA20B14023E2M1

\$218* \$303* \$717* \$837* 3-Way & Main On/Off 5-Way & Main On/Off Switch 2-Way On/Off Switch Box 1-Way On/Off Switch Box Switch Box with Pressure SKU: ATCC1W SKU: ATCC2W Box with Pressure Control SKU: ATCC5WVP

Control SKU: ATCC3WV



SPRAY ACCESSORIES

Filters

- keep your spray clear & clean!
- reduce nozzle blockage & protect your pump
- Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen filter



Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- Heavy duty brass ½" BSP, 12VDC solenoid valves
- Suitable for most chemicals
- Viton diapahragm
- Choose From 1-way or 3-way Solenoid Kits



SKU: ATVS10B036

cables 1/2" BSP port solenoid SKU: ATVS10BX3W

Highly Flexible Spray Hose

- ▶ High quality TTi agricultural spray hose . Suction hose available also call for details
- High flexibility, kink resistant
- Working pressure 40 bar (580 psi)
- Burst Pressure 150 bar (2200 psi)

Great Value Kink Resistant Hose

- Black ribbed outer cover with a specially formulated yellow chemical resistant tube
- 10mm & 12mm hose available in 100m rolls Call for your price

PRESSURE SPRAY HOSE

| SKU | DESCRIPTION | RRP*(\$) |
|---------------|--|---------------|
| CUY58010MM | 10mm Spray Hose (working pressure 40 bar; 580psi) / metre | \$11 |
| CUY58010MMX10 | 10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre | \$ 91 |
| CUY58012MM | 12mm Spray Hose (working pressure 40 bar; 580psi) / metre | \$ 14 |
| CUY58012MMX10 | 12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre | \$ 123 |
| CUY58019MM | 19mm Spray Hose (working pressure 40 bar; 580psi) / metre | \$ 29 |
| CUY58025MM | 25mm Spray Hose (working pressure 40 bar; 580psi) / metre | \$ 53 |

SUCTION HOSESKUDESCRIPTIONRRP*(\$)CUUC19MM19mm Clear Suction Hose (not for pressure lines) / metre\$19STAHSB25BLK25mm Suction Hose (not for pressure lines) / metre\$23STAHSB3232mm Suction Hose (not for pressure lines) / metre\$28STAHSB3838mm Suction Hose (not for pressure lines) / metre\$30

POLY REELS

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- NEW ReelPro Engineered Steel Design
- Hose ReelOptimised full flow ball bearing swivel easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit



| \$866* |
|------------------------|
| 30m Reel & Hose |
| Base Mount - 10mm Hose |

& Free Spray Gun SKU: ATHW03B030M10G

0

| ~000 | | | | | | | |
|----------------|---|--|--|--|--|--|--|
| 30m Reel & Hos | е | | | | | | |

Side Mount - 30m Hose Reel w/ 10mm Hose & Free Spray Gun SKU: ATHW03X030M106

100m Hose & Reel Base Mount - for 10mm Hose and Spray Gun

SKU: ATHW10B100M10G

\$1,586*

SuperReel[™] —

Remote Controlled Rewind Hose Reel

Designed to perform in the toughest terrain, the remote controlled SuperReel™ spray reels are guaranteed to make the job quick, easy and safe for any operator.

- Powerful belt-driven 12v motor. Geared reduction for maximum torque and power efficiency
- 100m or 150m 10mm ID anti-kink nylon hose
- Hose roller guide allows for one-person operation, from any angle
- Manual override button for powered retraction, without the remote control
- Easy bolt-down points with tough powder-coated finish
- Wireless remote transmits up to 200m in uneven terrain!
- Interchangeable left/right spray gun holder
- Turbo 400 spray gun (optional accessory)











SKU: ATHRO50M10-R


| \$4,987* | |
|------------------|--|
| 100m | |
| Auto-Rewind Reel | |

810 x 355 x 675mm (LWH) SKU: ATHR100M10



Auto-Rewind Reel 810 x 355 x 675mm (LWH) SKU: ATHR150M10

SPRAY ACCESSORIES - HOME GARDEN SPRAY LANCES



Add any of these to your versatile or telescopic lances



Herbicide Nozzles

Consistent application rates for band spraying



Spray Hoods

Tubes can be manually moulded for specialised spraying requirements.

Two models available, one with adjustable cone nozzles and one with fan nozzles.

Used for basal bark spraying and ant block treatments.



82 Trans Tank[®] International | Product Catalogue 2024

SPRAY ACCESSORIES - SPRAY GUNS







SPRAY ACCESSORIES - SPRAY GUNS



Turbo 400 Spray Gun

- Professional multipurpose spray gun with Viton seals
- One hand operation for easy pattern adjustment and on/off trigger
- Adjustable turbo atomiser
- Comes with swivel & 10mm hose tail
- Max pressure: 50 bar (725psi)
- Overall length: 400mm

\$209* Turbo 400 Spray Gun

SKU: AHG102ST

KITS REPAIR KIT SKU: CPLK102R 2.3MM CERAMIC NOZZLE

SKU: CPLP102N23 3.5MM CERAMIC NOZZLE SKU: CPLP102N35

Multi-Purpose Spray Gun

- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger guard favoured by many operators
- Swivel & 10mm hose tail supplied
- Max pressure: 50 bar (725psi)
- Overall length: 400mm






SPRAY ACCESSORIES - SPRAY BOOMS

For Firebreaks, Rough Country Spraying & Locust Control

BoomTech[™] Nozzle







SPRAY ACCESSORIES - SPRAY BOOMS

Versatile Boom

- 1.2 metre compact boom
- Sprays 4 metre swath width
- Compatible with any spot sprayer with pump 6.5 L/min or more
- Taps for 7-way nozzle control
- Versatility of spraying options




Sprays up to 4 metres SKU: ABVL040



Haymen Reese Goose neck attachment with Versatile Boom SKU: ABVL040-GN

Economy Booms





Compact[™] Spray Boom Compact Galvanised Spray Boom



\$1,908* 4m Boom Galvanised Boom with **Nozzle Protection** SKU: ABM040



\$2,464* 6m Boom

Galvanised Boom with Nozzle Protection SKU: ABM060





Galvanised Boom with Nozzle Protection SKU: ABM080

New & Improved

Design



Very easy to fold/unfold for spraying and traveling positions



Spring-loaded breakaway with nozzle protection

Non-drip nozzle bodies with Teejet AIXR Air Induction spray tips

Fitted with

TeeJet Air Induction Nozzles




Easy to mount onto your existing sprayer!

Pinnacle[™] 'Plus'

Galvanised Spray Boom with Self Level

Scan to s this boom



Galvanised Boom with Self-levelling Kit SKU: ABM120PS

Self-levelling booms allows boom to ride smoothly ove

Toront The state of the state o

Breakaway boom with nozzle protection

Non drip nozzle bodies with Teejet AIXR Air Induction spray



Easy to mount onto you existing sprayer!

NIE I NEVIN

Hot dipped galvanised steel framework

Optional upgrade to Tri-nozzle bodies

 \checkmark

XR

Air Induction





O-Ring -

Air Inlet

Exit

Orfice -

AIXR110__-VP Spray Tip

(Cross Section View)

Removable

Pre-Orifice

Flat Spray Tips

110° wide, tapered **flat spray angle** with air induction technology offers better drift management

Made of a **two piece UHMWPE polymer construction with VisiFlo**® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a **Venturi air aspirator**

Available in **seven tip capacities** with a wide operating pressure range: **15–90 PSI** (1–6 bar)

| SKU | DESCRIPTION | COLOUR | RRP*(\$) |
|------------------|------------------|--------|----------|
| CNSAIXR110015X10 | | | \$181* |
| CNSAIXR110020X10 | | | \$181* |
| CNSAIXR110025X10 | Air induction XR | | \$181* |
| CNSAIXR110030X10 | Flat Spray Tips | | \$181* |
| CNSAIXR110040X10 | (PACK of 10) | | \$181* |
| CNSAIXR110050X10 | | | \$181* |
| CNSAIXR110060X10 | | 000 | \$181* |

| DROP SIZE VC C C C M M M C C C C C C C C C C C C | 0NE NOZZLE IN L/min 0.34 0.48 0.59 0.68 0.76 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 0.96 | 4 km/h 102 144 177 204 228 249 138 195 237 273 306 336 171 243 297 342 384 297 342 384 207 | 5 km/h 81.6 115 142 163 182 199 110 156 190 218 245 269 137 194 238 274 307 336 | 6 km/h 68.0 96.0 118 136 152 166 92.0 130 158 182 204 224 114 162 198 228 | 7 km/h 58.3 82.3 101 117 130 142 78.9 111 135 156 175 192 97.7 139 170 | 8 km/h 51.0 72.0 88.5 102 114 125 69.0 97.5 119 137 153 168 85.5 122 149 | 10 km/h 40.8 57.6 70.8 81.6 91.2 99.6 55.2 78.0 94.8 109 122 134 68.4 97.2 | 12 km/h 34.0 48.0 59.0 68.0 76.0 83.0 46.0 65.0 79.0 91.0 102 112 57.0 81.0 | 16 km/h 25.5 36.0 44.3 51.0 57.0 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 18 km/h 22.7 32.0 39.3 45.3 50.7 55.3 30.7 43.3 52.7 60.7 68.0 74.7 38.0 | 20 km/h 20.4 28.8 35.4 40.8 45.6 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 25 km/h 16.3 23.0 28.3 32.6 36.5 39.8 22.1 31.2 37.9 43.7 49.0 53.8 | 30 km/h 13.6 19.2 23.6 27.2 30.4 33.2 18.4 26.0 31.6 36.4 40.8 44.8 | 16. 20. 23. 26. 28. 15. 22. 27. 31. 35. |
|--|---|---|---|---|---|---|---|---|---|--|--|---|---|---|
| VC C C C C C C C C C C C C C C C C C C | 0.48 0.59 0.68 0.76 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 144 177 204 228 249 138 195 237 273 306 336 171 243 297 342 384 420 | 115 142 163 182 199 110 156 190 218 245 269 137 194 238 274 307 | 96.0 118 136 152 166 92.0 130 158 182 204 224 114 162 198 228 | 82.3 101 117 130 142 78.9 111 135 156 175 192 97.7 139 170 | 72.0 88.5 102 114 125 69.0 97.5 119 137 153 168 85.5 122 | 57.6 70.8 81.6 91.2 99.6 55.2 78.0 94.8 109 122 134 68.4 | 48.0 59.0 68.0 76.0 83.0 46.0 65.0 79.0 91.0 102 112 57.0 | 36.0 44.3 51.0 57.0 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 32.0 39.3 45.3 50.7 55.3 30.7 43.3 52.7 60.7 68.0 74.7 | 28.8 35.4 40.8 45.6 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 23.0 28.3 32.6 36.5 39.8 22.1 31.2 37.9 43.7 49.0 | 19.2 23.6 27.2 30.4 33.2 18.4 26.0 31.6 36.4 40.8 | 22. 27. 31. 35. |
| C C M M XC VC C C C C M XC XC VC C C C C C XC XC | 0.59 0.68 0.76 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 1777 204 228 249 138 195 237 273 306 336 171 243 297 342 384 420 | 142 163 182 199 110 156 190 218 245 269 137 194 238 274 307 | 118 136 152 166 92.0 130 158 182 204 224 114 162 198 228 | 101 117 130 142 78.9 111 135 156 175 192 97.7 139 170 | 88.5 102 114 125 69.0 97.5 119 137 153 168 85.5 122 | 70.8 81.6 91.2 99.6 55.2 78.0 94.8 109 122 134 68.4 | 59.0 68.0 76.0 83.0 46.0 65.0 79.0 91.0 102 112 57.0 | 44.3 51.0 57.0 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 39.3 45.3 50.7 55.3 30.7 43.3 52.7 60.7 68.0 74.7 | 35.4 40.8 45.6 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 28.3 32.6 36.5 39.8 22.1 31.2 37.9 43.7 49.0 | 23.6 27.2 30.4 33.2 18.4 26.0 31.6 36.4 40.8 | 20. 23. 26. 28. 15. 22. 27. 31. 35. |
| C M M XC VC C C C C M XC XC VC C C C C C XC XC | 0.68 0.76 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 204 228 249 138 195 237 273 306 336 171 243 297 342 384 420 | 163 182 199 110 156 190 218 245 269 137 194 238 274 307 | 136 152 166 92.0 130 158 182 204 224 114 162 198 228 | 117 130 142 78.9 111 135 156 175 192 97.7 139 170 | 102 114 125 69.0 97.5 119 137 153 168 85.5 122 | 81.6 91.2 99.6 55.2 78.0 94.8 109 122 134 68.4 | 68.0 76.0 83.0 46.0 65.0 79.0 91.0 102 112 57.0 | 51.0 57.0 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 45.3 50.7 55.3 30.7 43.3 52.7 60.7 68.0 74.7 | 40.8 45.6 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 32.6 36.5 39.8 22.1 31.2 37.9 43.7 49.0 | 27.2 30.4 33.2 18.4 26.0 31.6 36.4 40.8 | 23. 26. 28. 15. 22. 27. 31. 35. |
| M M XC C C C C C C M XC XC XC | 0.76 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 228 249 138 195 237 273 306 336 171 243 297 342 384 420 | 182 199 110 156 190 218 245 269 137 194 238 274 307 | 152 166 92.0 130 158 182 204 224 114 162 198 228 | 130 142 78.9 111 135 156 175 192 97.7 139 170 | 114 125 69.0 97.5 119 137 153 168 85.5 122 | 91.2 99.6 55.2 78.0 94.8 109 122 134 68.4 | 76.0 83.0 46.0 65.0 79.0 91.0 102 112 57.0 | 57.0 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 50.7 55.3 30.7 43.3 52.7 60.7 68.0 74.7 | 45.6 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 36.5 39.8 22.1 31.2 37.9 43.7 49.0 | 30.4 33.2 18.4 26.0 31.6 36.4 40.8 | 26. 28. 15. 22. 27. 31. 35. |
| M XC VC C C C C M XC XC VC C C C C XC XC | 0.83 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 249 138 195 237 273 306 336 171 243 297 342 384 420 | 199 110 156 190 218 245 269 137 194 238 274 307 | 166 92.0 130 158 182 204 224 114 162 198 228 | 142 78.9 111 135 156 175 192 97.7 139 170 | 125 69.0 97.5 119 137 153 168 85.5 122 | 99.6 55.2 78.0 94.8 109 122 134 68.4 | 83.0 46.0 65.0 79.0 91.0 102 112 57.0 | 62.3 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 55.3 30.7 43.3 52.7 60.7 68.0 74.7 | 49.8 27.6 39.0 47.4 54.6 61.2 67.2 | 39.8 22.1 31.2 37.9 43.7 49.0 | 33.2 18.4 26.0 31.6 36.4 40.8 | 28. 15. 22. 27. 31. 35. |
| XC VC C C C XC XC XC XC | 0.46 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 138 195 237 273 306 336 171 243 297 342 384 420 | 110 156 190 218 245 269 137 194 238 274 307 | 92.0 130 158 182 204 224 114 162 198 228 | 78.9 111 135 156 175 192 97.7 139 170 | 69.0 97.5 119 137 153 168 85.5 122 | 55.2 78.0 94.8 109 122 134 68.4 | 46.0 65.0 79.0 91.0 102 112 57.0 | 34.5 48.8 59.3 68.3 76.5 84.0 42.8 | 30.7 43.3 52.7 60.7 68.0 74.7 | 27.6 39.0 47.4 54.6 61.2 67.2 | 22.1 31.2 37.9 43.7 49.0 | 18.4 26.0 31.6 36.4 40.8 | 28. 15. 22. 27. 31. 35. 38. |
| VC C C C C XC XC XC XC | 0.65 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 195 237 273 306 336 171 243 297 342 384 420 | 156 190 218 245 269 137 194 238 274 307 | 130 158 182 204 224 114 162 198 228 | 111 135 156 175 192 97.7 139 170 | 97.5 119 137 153 168 85.5 122 | 78.0 94.8 109 122 134 68.4 | 65.0 79.0 91.0 102 112 57.0 | 48.8 59.3 68.3 76.5 84.0 42.8 | 43.3 52.7 60.7 68.0 74.7 | 39.0 47.4 54.6 61.2 67.2 | 31.2 37.9 43.7 49.0 | 26.0 31.6 36.4 40.8 | 22. 27. 31. 35. |
| C C C M XC XC C C C C C C C C C XC XC | 0.79 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 237 273 306 336 171 243 297 342 384 420 | 190 218 245 269 137 194 238 274 307 | 158 182 204 224 114 162 198 228 | 135 156 175 192 97.7 139 170 | 119 137 153 168 85.5 122 | 94.8 109 122 134 68.4 | 79.0 91.0 102 112 57.0 | 59.3 68.3 76.5 84.0 42.8 | 52.7 60.7 68.0 74.7 | 47.4 54.6 61.2 67.2 | 37.9 43.7 49.0 | 31.6 36.4 40.8 | 27. 31. 35. |
| C C M XC XC VC C C C C C XC XC | 0.91 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 273 306 336 171 243 297 342 384 420 | 218 245 269 137 194 238 274 307 | 182 204 224 114 162 198 228 | 156 175 192 97.7 139 170 | 137 153 168 85.5 122 | 109 122 134 68.4 | 91.0 102 112 57.0 | 68.3 76.5 84.0 42.8 | 60.7 68.0 74.7 | 54.6 61.2 67.2 | 43.7 49.0 | 36.4 40.8 | 31. 35. |
| C M XC XC C C C C C XC | 1.02 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 306 336 171 243 297 342 384 420 | 245 269 137 194 238 274 307 | 204 224 114 162 198 228 | 175 192 97.7 139 170 | 153 168 85.5 122 | 122 134 68.4 | 102 112 57.0 | 76.5 84.0 42.8 | 68.0 74.7 | 61.2 67.2 | 49.0 | 40.8 | 35. |
| M XC XC C C C C C XC | 1.12 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 336 171 243 297 342 384 420 | 269 137 194 238 274 307 | 224 114 162 198 228 | 192 97.7 139 170 | 168 85.5 122 | 134 68.4 | 112 57.0 | 84.0 42.8 | 74.7 | 67.2 | | | |
| XC XC VC C C C C XC XC | 0.57 0.81 0.99 1.14 1.28 1.40 0.68 | 171 243 297 342 384 420 | 137 194 238 274 307 | 114 162 198 228 | 97.7 139 170 | 85.5 122 | 68.4 | 57.0 | 42.8 | | | 0010 | | |
| XC VC C C C XC XC | 0.81 0.99 1.14 1.28 1.40 0.68 | 243 297 342 384 420 | 194 238 274 307 | 162 198 228 | 139 170 | 122 | | | | | 34.2 | 27.4 | 22.8 | 19. |
| VC C C C XC XC | 0.99 1.14 1.28 1.40 0.68 | 297 342 384 420 | 238 274 307 | 198 228 | 170 | 1000000 | | | 60.8 | 54.0 | 48.6 | 38.9 | 32.4 | 27. |
| C C XC XC | 1.28 1.40 0.68 | 384 420 | 307 | | | 149 | 119 | 99.0 | 74.3 | 66.0 | 59.4 | 47.5 | 39.6 | 33. |
| C XC XC | 1.40 0.68 | 420 | | | 195 | 171 | 137 | 114 | 85.5 | 76.0 | 68.4 | 54.7 | 45.6 | 39. |
| XC XC | 0.68 | | 336 | 256 | 219 | 192 | 154 | 128 | 96.0 | 85.3 | 76.8 | 61.4 | 51.2 | 43. |
| XC | | 204 | | 280 | 240 | 210 | 168 | 140 | 105 | 93.3 | 84.0 | 67.2 | 56.0 | 48. |
| | 0.96 | | 163 | 136 | 117 | 102 | 81.6 | 68.0 | 51.0 | 45.3 | 40.8 | 32.6 | 27.2 | 23. |
| MC | | 288 | 230 | 192 | 165 | 144 | 115 | 96.0 | 72.0 | 64.0 | 57.6 | 46.1 | 38.4 | 32. |
| 1. I I I I I I I I I I I I I I I I I I I | 1.18 | 354 | 283 | 236 | 202 | 177 | 142 | 118 | 88.5 | 78.7 | 70.8 | 56.6 | 47.2 | 40. |
| С | 1.36 | 408 | 326 | 272 | 233 | 204 | 163 | 136 | 102 | 90.7 | 81.6 | 65.3 | 54.4 | 46.6 |
| C | 1.52 | 456 | 365 | 304 | 261 | 228 | 182 | 152 | 114 | 101 | 91.2 | 73.0 | 60.8 | 52. |
| C | 1.67 | 501 | 401 | 334 | 286 | 251 | 200 | 167 | 125 | 111 | 100 | 80.2 | 66.8 | 57. |
| XC | 0.91 | 273 | 218 | 182 | 156 | 137 | 109 | 91.0 | 68.3 | 60.7 | 54.6 | 43.7 | 36.4 | 31. |
| XC | 1.29 | 387 | 310 | 258 | 221 | 194 | 155 | 129 | 96.8 | 86.0 | 77.4 | 61.9 | 51.6 | 44. |
| VC VC | 1.58 1.82 | 474 | 379 437 | 316 364 | 271 312 | 237 273 | 190 218 | 158 182 | 119 137 | 105 121 | 94.8 109 | 75.8 87.4 | 63.2 | 54. 62. |
| 10 C | | 546 | | | | | | | | | | | 72.8 | 69. |
| | | | | | | | | | | | | | | 76. |
| | | | | | | | | | | | | | | 39. |
| 1.1 | | | | 10000000 | | | | | | | | | | 55. |
| | | | | | | | | | | | | | | 67. |
| VC | 2.27 | 681 | 545 | 454 | 389 | 341 | 272 | 227 | 170 | 151 | 136 | 109 | 90.8 | 77. |
| С | 2.54 | 762 | 610 | 508 | 435 | 381 | 305 | 254 | 191 | 169 | 152 | 122 | 102 | 87. |
| С | 2.79 | 837 | 670 | 558 | 478 | 419 | 335 | 279 | 209 | 186 | 167 | 134 | 112 | 95. |
| XC | 1.37 | 411 | 329 | 274 | 235 | 206 | 164 | 137 | 103 | 91.3 | 82.2 | 65.8 | 54.8 | 47. |
| XC | 1.94 | 582 | 466 | 388 | 333 | 291 | 233 | 194 | 146 | 129 | 116 | 93.1 | 77.6 | 66. |
| XC | 2.37 | 711 | 569 | 474 | 406 | 356 | 284 | 237 | 178 | 158 | 142 | 114 | 94.8 | 81. |
| VC | 2.74 | 822 | 658 | 548 | 470 | 411 | 329 | 274 | 206 | 183 | 164 | 132 | 110 | 93. |
| C | 3.06 | 918 | 734 | 612 | 525 | 459 | 367 | 306 | 230 | 204 | 184 | 147 | 122 | 105 |
| C | 3.35 | 1005 | 804 | 670 | 574 | 503 | 402 | 335 | 251 | 223 | 201 | 161 | 134 | 115 |
| | C C XC XC XC C C C C | C 2.23 XC 1.14 XC 1.61 XC 2.27 C 2.54 C 2.79 XC 1.37 XC 1.94 XC 2.37 VC 2.37 VC 2.74 C 3.06 C 3.35 bbe check your appendix Xpr appendix | C 2.23 669 XC 1.14 342 XC 1.61 483 XC 1.97 591 VC 2.27 681 C 2.54 762 C 2.79 837 XC 1.37 411 XC 2.94 582 XC 2.37 711 VC 2.74 822 C 3.06 918 C 3.35 1005 | C 2.23 669 535 XC 1.14 342 274 XC 1.61 483 386 XC 1.97 591 473 VC 2.27 681 545 C 2.54 762 610 C 2.79 837 670 XC 1.37 411 329 XC 2.37 711 569 VC 2.74 822 658 C 3.06 918 734 C 3.35 1005 804 | C 2.23 669 535 446 XC 1.14 342 274 228 XC 1.61 483 386 322 XC 1.97 591 473 394 VC 2.27 681 545 454 C 2.54 762 610 508 C 2.79 837 670 558 XC 1.37 411 329 274 XC 1.94 582 466 388 XC 2.37 711 569 474 VC 2.74 822 658 548 XC 1.94 582 466 388 XC 2.37 711 569 474 VC 2.74 822 658 548 C 3.06 918 734 612 | C 2.23 669 535 446 382 XC 1.14 342 274 228 195 XC 1.61 483 386 322 276 XC 1.97 591 473 394 338 VC 2.27 681 545 454 389 C 2.54 762 610 508 435 C 2.79 837 670 558 478 XC 1.37 411 329 274 235 XC 2.37 711 569 474 406 VC 2.74 822 658 548 470 C 3.06 918 734 612 525 C 3.35 1005 804 670 574 | C 2.23 669 535 446 382 335 XC 1.14 342 274 228 195 171 XC 1.61 483 386 322 276 242 XC 1.97 591 473 394 338 296 VC 2.27 681 545 454 389 341 C 2.54 762 610 508 435 381 C 2.79 837 670 558 478 419 XC 1.37 411 329 274 235 206 XC 2.34 752 658 478 411 XC 1.37 411 329 274 235 206 XC 2.37 711 569 474 406 356 VC 2.74 822 658 548 470 411 C 3.06 918 | C 2.23 669 535 446 382 335 268 XC 1.14 342 274 228 195 171 137 XC 1.61 483 386 322 276 242 193 XC 1.97 591 473 394 338 296 236 VC 2.27 681 545 454 389 341 272 C 2.54 762 610 508 435 381 305 XC 1.37 411 329 274 235 206 164 XC 1.37 411 329 274 235 206 164 XC 1.37 411 329 274 235 206 164 XC 1.94 582 466 388 333 291 233 XC 2.37 711 569 474 406 356 284 | C 2.23 669 535 446 382 335 268 223 XC 1.14 342 274 228 195 171 137 114 XC 1.61 483 386 322 276 242 193 161 XC 1.97 591 473 394 338 296 236 197 VC 2.27 681 545 454 389 381 272 227 C 2.54 762 610 508 435 381 305 254 C 2.79 887 670 558 478 419 335 279 XC 1.37 411 329 274 235 206 164 137 XC 1.94 582 466 388 333 291 233 194 XC 2.37 711 569 474 406 356 284 <td>C 2.23 669 535 446 382 335 268 223 167 XC 1.14 342 274 228 195 171 137 114 85.5 XC 1.61 483 386 322 276 242 193 161 121 XC 1.97 591 473 394 338 296 236 197 148 VC 2.27 681 545 454 389 341 272 227 170 C 2.54 762 610 508 435 381 305 254 191 C 2.79 837 670 558 478 419 335 209 XC 1.37 411 329 274 235 206 164 137 103 XC 1.94 582 466 388 333 291 233 194 146 <t< td=""><td>C 2.23 669 535 446 382 335 268 223 167 149 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 XC 1.61 483 386 322 276 242 193 161 121 107 XC 1.97 591 473 394 338 296 236 197 148 131 VC 2.27 681 545 454 389 341 272 227 170 151 C 2.54 762 610 508 435 381 305 254 191 169 C 2.79 837 670 558 478 419 335 209 186 XC 1.37 411 329 274 235 206 164 137 103 91.3 XC 1.37 71</td><td>C 2.23 669 535 446 382 335 268 223 167 149 134 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 XC 1.97 591 473 394 338 296 236 197 148 131 118 VC 2.27 681 545 454 389 341 272 227 170 151 136 C 2.54 762 610 508 435 381 305 254 191 169 152 C 2.79 837 670 558 478 419 335 279 209 186 167 XC 1.37 411 329 274 235 <td< td=""><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 C 2.54 762 610 508 435 381 305 254 191 169 152 122 C 2.79 837 670 558 478 419 335 279 209 186 167 134 XC 1.37 411 329 274 233 194 146 <</td><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 89.2 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 45.6 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 64.4 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 78.8 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 90.8 C 2.54 762 610 508 478 319 355 279 209 186 167 134 112 C 2.79 837 670 558 478 419 335 279 209 186 167 134 112 XC</td></td<></td></t<></td> | C 2.23 669 535 446 382 335 268 223 167 XC 1.14 342 274 228 195 171 137 114 85.5 XC 1.61 483 386 322 276 242 193 161 121 XC 1.97 591 473 394 338 296 236 197 148 VC 2.27 681 545 454 389 341 272 227 170 C 2.54 762 610 508 435 381 305 254 191 C 2.79 837 670 558 478 419 335 209 XC 1.37 411 329 274 235 206 164 137 103 XC 1.94 582 466 388 333 291 233 194 146 <t< td=""><td>C 2.23 669 535 446 382 335 268 223 167 149 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 XC 1.61 483 386 322 276 242 193 161 121 107 XC 1.97 591 473 394 338 296 236 197 148 131 VC 2.27 681 545 454 389 341 272 227 170 151 C 2.54 762 610 508 435 381 305 254 191 169 C 2.79 837 670 558 478 419 335 209 186 XC 1.37 411 329 274 235 206 164 137 103 91.3 XC 1.37 71</td><td>C 2.23 669 535 446 382 335 268 223 167 149 134 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 XC 1.97 591 473 394 338 296 236 197 148 131 118 VC 2.27 681 545 454 389 341 272 227 170 151 136 C 2.54 762 610 508 435 381 305 254 191 169 152 C 2.79 837 670 558 478 419 335 279 209 186 167 XC 1.37 411 329 274 235 <td< td=""><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 C 2.54 762 610 508 435 381 305 254 191 169 152 122 C 2.79 837 670 558 478 419 335 279 209 186 167 134 XC 1.37 411 329 274 233 194 146 <</td><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 89.2 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 45.6 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 64.4 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 78.8 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 90.8 C 2.54 762 610 508 478 319 355 279 209 186 167 134 112 C 2.79 837 670 558 478 419 335 279 209 186 167 134 112 XC</td></td<></td></t<> | C 2.23 669 535 446 382 335 268 223 167 149 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 XC 1.61 483 386 322 276 242 193 161 121 107 XC 1.97 591 473 394 338 296 236 197 148 131 VC 2.27 681 545 454 389 341 272 227 170 151 C 2.54 762 610 508 435 381 305 254 191 169 C 2.79 837 670 558 478 419 335 209 186 XC 1.37 411 329 274 235 206 164 137 103 91.3 XC 1.37 71 | C 2.23 669 535 446 382 335 268 223 167 149 134 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 XC 1.97 591 473 394 338 296 236 197 148 131 118 VC 2.27 681 545 454 389 341 272 227 170 151 136 C 2.54 762 610 508 435 381 305 254 191 169 152 C 2.79 837 670 558 478 419 335 279 209 186 167 XC 1.37 411 329 274 235 <td< td=""><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 C 2.54 762 610 508 435 381 305 254 191 169 152 122 C 2.79 837 670 558 478 419 335 279 209 186 167 134 XC 1.37 411 329 274 233 194 146 <</td><td>C 2.23 669 535 446 382 335 268 223 167 149 134 107 89.2 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 45.6 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 64.4 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 78.8 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 90.8 C 2.54 762 610 508 478 319 355 279 209 186 167 134 112 C 2.79 837 670 558 478 419 335 279 209 186 167 134 112 XC</td></td<> | C 2.23 669 535 446 382 335 268 223 167 149 134 107 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 C 2.54 762 610 508 435 381 305 254 191 169 152 122 C 2.79 837 670 558 478 419 335 279 209 186 167 134 XC 1.37 411 329 274 233 194 146 < | C 2.23 669 535 446 382 335 268 223 167 149 134 107 89.2 XC 1.14 342 274 228 195 171 137 114 85.5 76.0 68.4 54.7 45.6 XC 1.61 483 386 322 276 242 193 161 121 107 96.6 77.3 64.4 XC 1.97 591 473 394 338 296 236 197 148 131 118 94.6 78.8 VC 2.27 681 545 454 389 341 272 227 170 151 136 109 90.8 C 2.54 762 610 508 478 319 355 279 209 186 167 134 112 C 2.79 837 670 558 478 419 335 279 209 186 167 134 112 XC |

90 Trans Tank[®] International | Product Catalogue 2024

VISIFLO

Air Induction



Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, rounded internal passage to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

| non biolado, rangiolado | | | | | 2.0 | | |
|-------------------------|------------------------------|-------------|-----------------|-----------------|-------------------|---------------|--|
| SKU | DESCRIPTION | COLOUR | RRP*(\$) | TT11004 (50) | 3.0 4.0 | c c | |
| CNSTT110010X10 | | HARR | \$ 165 * | | 5.0 6.0 | M M | |
| CNSTT110015X10 | | | \$165* | TT11005 | 1.0 2.0 3.0 | XC VC C | |
| CNSTT110020X10 | Turbo TeeJet | | \$ 165 * | (50) | 4.0 5.0 | | |
| CNSTT110025X10 | - Angle Flat Spray - Tips | | \$ 165 * | | 6.0 1.0 | M XC | |
| CNSTT110030X10 | (PACK of 10) | 1 | \$ 165 * | TT11006 | 2.0 3.0 | | |
| CNSTT110040X10 | _ ` ` ` ` ` ` ` ` ` | | \$ 165 * | (50) | 4.0 5.0 6.0 | C C M | |
| CNSTT110050X10 | | | \$ 165 * | | 1.0 | XC VC | |
| CNSTT110060X10 | | | \$ 165 * | TT11008 (50) | 3.0 4.0 | | |
| CNSTT110080X10 | | 1000 | \$ 165 * | | 5.0 6.0 | C M | |
| | | | | | | | |

| |) bar | DROP SIZE | CAPACITY ONE NOZZLE IN I/min |
|----------|------------|--------------|---------------------------------------|
| | 1.0 | С | 0.23 |
| | 2.0 | M | 0.32 |
| TT11001 | 3.0 | F | 0.39 |
| (100) | 4.0 | F | 0.45 |
| | 5.0 6.0 | F | 0.50 0.55 |
| | 1.0 | c | 0.33 |
| | 2.0 | M | 0.34 |
| TT110015 | 3.0 | M | 0.59 |
| (100) | 4.0 | м | 0.68 |
| (100) | 5.0 | F | 0.76 |
| | 6.0 | F | 0.83 |
| | 1.0 | С | 0.46 |
| | 2.0 | | 0.65 |
| TT11002 | 3.0 | М | 0.79 |
| (50) | 4.0 | м | 0.91 |
| | 5.0 | М | 1.02 |
| | 6.0 | F | 1.12 |
| | 1.0 | | 0.57 |
| | 2.0 | С | 0.81 |
| TT110025 | 3.0 | М | 0.99 |
| (50) | 4.0 | м | 1.14 |
| | 5.0 | М | 1.28 |
| | 6.0 | M | 1.40 |
| | 1.0 | | 0.68 |
| π11003 | 2.0 3.0 | | 0.96 |
| (50) | 4.0 | M | 1.16 |
| (50) | 5.0 | M | 1.50 |
| | 6.0 | м | 1.67 |
| | 1.0 | XC | 0.91 |
| | 2.0 | C | 1.29 |
| TT11004 | 3.0 | | 1.58 |
| (50) | 4.0 | | 1.82 |
| | 5.0 | М | 2.04 |
| | 6.0 | м | 2.23 |
| | 1.0 | XC | 1.14 |
| | 2.0 | | 1.61 |
| TT11005 | 3.0 | | 1.97 |
| (50) | 4.0 | | 2.27 |
| | 5.0 | С | 2.54 |
| | 6.0 | M | 2.79 |
| | 1.0 | XC | 1.37 |
| TT11006 | 2.0 3.0 | | 1.94 2.37 |
| (50) | 3.0 4.0 | | 2.37 |
| (50) | 4.0 5.0 | c | 3.06 |
| | 6.0 | M | 3.35 |
| | 1.0 | XC | 1.82 |
| | 2.0 | VC | 2.58 |
| TT11008 | 3.0 | | 3.16 |
| | 4.0 | | 3.65 |
| (50) | | | |
| (50) | 5.0 | | 4.08 |

TURBO

2, 4 - D Compliant



Twin Flat Spray Tips

110° wide angle, air induction, **tapered flat spray tip pattern** based on the **patented outlet orifice design** of the original **Turbo TeeJet® nozzle**

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a **Venturi air aspirator** resulting in less drift

Applications

Herbicides, fungicides and insecticides

| SKU | DESCRIPTION | COLOUR | RRP*(\$) |
|-----------------|--------------|--------|----------|
| TTI110015-VPX10 | | | \$225* |
| TTI11002-VPX10 | Turbo Teelet | 1 | \$225* |
| TTI110025-VPX10 | | | \$225* |
| TTI11003-VPX10 | (PACK of 10) | 0 | \$225* |
| TTI11004-VPX10 | | TT | \$225* |

| 9(1) | S PSI | DROP SIZE | CAPACITY ONE NOZZLE IN GPM | CAPACITY ONE NOZZLE IN OZ./MIN. |
|-----------------|-----------|--------------|--|---|
| | 15 | UC UC | 0.092 | 12 14 |
| | 20 | ŬČ | 0.11 0.13 | 17 |
| TTI110015 | 40 | UC | 0.15 | 19 |
| | 50 60 | UC | 0.17 | 22 23 |
| (100) | 70 | XC XC | 0.18 | 26 |
| | 80 | XC | 0.21 | 27 29 |
| | 90 100 | XC | 0.20 0.21 0.23 0.24 | 31 |
| | 15 | UC | 0.12 | 15 |
| | 20 30 | ÚC ÚC | 0.14 0.17 | 18 22 |
| - | 40 | UC | 0.20 | 26 |
| TTI11002 | 50 | UC | 0.20 0.22 | 28 |
| (50) | 60 70 | UC | 0.24 0.26 0.28 | 31 |
| | 80 | xč | 0.28 | 36 |
| | 90 | XC | 0.30 | 38 |
| | 100 | XC UC | 0.32 | 41 |
| | 20 | ŬČ | 0.18 | 23 |
| | 30 | UC | 0.22 | 28 |
| TTI110025 | 40 50 | UC UC | 0.25 | 32 36 |
| (50) | 60 | ÚČ. | 0.22 0.25 0.28 0.31 0.33 0.35 | 40 |
| (50) | 70 80 | XC | 0.33 | 42 |
| | 90 | XC XC | 0.35 | 45 |
| | 100 | XC | 0.40 | 51 |
| | 15 20 | | 0.18 0.21 | 23 |
| | 30 | UC | 0.26 | 33 |
| TTI11003 | 40 | UC | 0.30 | 38 |
| | 50 60 | | 0.30 0.34 0.37 | 44 47 |
| (50) | 70 | XC | 0.40 | 51 |
| | 80 90 | XC | 0.42 | 54 58 |
| | 100 | xc | 0.45 | 60 |
| | 15 | UC | 0.24 | 31 |
| | 20 30 | ŬĊ | 0.28 0.35 | 36 |
| TTI11004 | 40 | UC | 0.40 | 51 |
| | 50 | ŬČ | 0.45 | 58 |
| (50) | 60 70 | UC XC | 0.49 0.53 | 63 68 |
| | 80 | XC | 0.57 | 73 |
| | 90 100 | XC | 0.60 0.63 | 77 |
| | 15 | 110 | 0.31 | 40 |
| | 20 | | 0.35 | 45 |
| | 40 | | 0.43 | 64 |
| TTI11005 | 50 | ŬČ | 0.50 0.56 | 72 |
| (50) | 60 70 | ŬĈ | 0.61 | 78 84 |
| | 80 | XC | 0.71 | 91 |
| | 90 | XC | 0.75 | 96 |
| | 100 | XC UC | 0.79 0.37 0.42 | 101 |
| | 20 30 | UC | 0.42 | 47 54 |
| CONTRACTOR OF A | 30 40 | ŬČ | 0.52 0.60 | 67 77 |
| TTI11006 | 50 | | 0.67 | 86 |
| (50) | 60 | ŬČ | 0.73 | 93 |
| (50) | 70 80 | XC XC | 0.79 0.85 | 101 |
| | 90 | XC | 0.90 | 115 |
| | 100 | XC | 0.95 | 122 |





DieselSergeant[™]

Low-Profile Diesel Refueling Units

The Reason to Say GoodBye to Jerry Cans!

The low-profile, compact DieselSergeant[™] is a simple yet effective diesel refueling tank. The pump is mounted on a sturdy 'squat' tank, with a large lid for easy access to the tank.

Pin-mounting provisions make it easy to secure to tank for safe transportation.



Fits Where Others Don't!

Low Profile, Space Saver Design



| 40 L/min Pump | | | |
|--|------------|-------------------|------------|
| \$ 1,428 * | 220 Litres | \$ 1,659 * | 400 Litres |
| SKU: DSU0220LD040V1 SKU: DSU0400ALD040V1 | | | LD040V1 |



DieseMajor™ with Honda GX50 Petrol Pump

The DieselMajor™ lives up to its name, as the big boy of portable diesel tanks.

The DieselMajor[™] will take charge of your onsite diesel refueling, with a 10m retractable reel and high flow pump making your refueling task a breeze.







DieselCaptain**

Portable Diesel Tanks

CA

Experience

Hassle-Free Refueling

The Internationally Certified DieselCaptain™ is your ultimate and reliable refueling partner!

This range of poly diesel fuel tanks are equipped with world-class pumps, hoses and auto shut off nozzles, so you can be assured your diesel refueling is done quickly and efficiently.



WEL

INCORPORATED LIFTING HANDLES

DIESELCAPTAIN

Portable Diesel Tanks









Heavy-duty Rotomolded Tank with Integrated Lifting Handles

Protected Tank Breather System & Anti-static Earth Strap



Fitted with High-flow Piusi or Transfer40 12v Diesel Pumps with 4m Battery Cables





6m (Piusi) or 4m (Transfer40) Antikink Delivery Hose



Double-hinged Lock-able Pump Cover Provides Pump Protection


DID YOU KNOW?




All DieselCaptain[™] tanks are moulded with our unique aluminium lid mounting ring for incredible strength!

This unique multi-seal system keeps the moisture out and your diesel in!








DieselCadet™

Diesel Transfer Refueling Tanks

Free-Standing Diesel Tanks



KEY FEATURES



The DieselCadet[™] poly diesel tanks are widely regarded for their versatility when transporting larger volumes of diesel. These free-standing diesel cartage tanks can be tray-mounted and kitted out with pumps and hose reels to suit different applications.

Note: Supplied with Pins for Easy Mounting & Securing (Above 500L)

3/4" Drain Bung and Optional Brass Outlet



Heavy-duty, UV Stabilized Tank with 15-Year Warranty

Tank Sizes: 50 Litres to 10,000 Litres



4 x Mounting Pins Supplied for Easy & Secure Mounting



A Large Removable Plate Lid Allows Access to the Tank if Required

au

DIESELCADET











400 Litres

1620 x 710 x 510mm (LWH) SKU: DTC00400AL

\$1,200*

ø250 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ Steel Skid-Frame \$761* SKU: ASFD00400A
 ★ Top-Mount Steel Pump Plate \$295*



Mounting Pins Provided; ø250 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet



1250 x 1070 x 740mm (LWH) SKU: DTC00600L

\$**1,612***

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 16pcs \$208*



1430 x 1220 x 670mm (LWH) SKU: DTC00800L

\$1,985*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 17pcs \$221*

DIESELCADET[™]

Free Standing Diesel Tanks







★LiquidLocker[™] 24pcs \$312*



Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 29pcs <mark>\$377</mark>*







2,400 Litres

2150 x 1410 x 1140mm (LWH) SKU: DTC02400L

\$4,312*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet



Steel Mounting Frame \$4,206* SKU: ASFC03000

DIESELCADET[™]

Free Standing Diesel Tanks





4,000 Litres

2430 x 1540 x 1450mm (LWH) SKU: DTC04000L

\$6,803*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ³/₄" Drain Bung; Optional Outlet

 ★ LiquidLocker™ 110pcs
 \$1,430*

 ★ Steel Mounting Frame
 \$4,206*
 SKU: ASFC03000



7,000 Litres

3390 x 2250 x 1390mm (LWH) SKU: DTC07000L

\$10,863*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

| ★ LiquidLocker™ 19 | 90pcs | \$ 2 ,4 | 470* | |
|----------------------|-------|----------------|----------|--------|
| Steel Mounting Frame | \$6,8 | 75* | SKU: ASF | CO7000 |



5,000 Litres

2760 x 2000 x 1400mm (LWH) SKU: DTC05000L

\$8,018*

Mounting Pins Provided; ø455 Lid & Seal Assembly; 3/4" Drain Bung; Optional Outlet



3600 x 2100 x 1540mm (LWH) SKU: DTC08000AL

\$**13,513***

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 240pcs \$3,120*
 ★ Steel Mounting Framee \$6,875*
 SKU: ASFCA08000



6,000 Litres

2760 x 2000 x 1540mm (LWH) SKU: DTC06000L

\$10,222*

Mounting Pins Provided; ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet



10,000 Litres

3480 x 2250 x 1940mm (LWH) SKU: DTC10000L

\$15,871*

Mounting Pins Provided; Ø455 Lid & Seal Assembly; ¾" Drain Bung; Optional Outlet

★ LiquidLocker[™] 295pcs \$3,835*
 ★ Steel Mounting Frame \$6,875*
 SkU: ASFC07000

DieselCadet[™] numn Free-Standing Diesel T

DIESELCADET

with Pumps & Optional Skid



KEY FEATURES



eliable 60L/min 12v Fluid Italian Pump with 4m Battery Cables



Large Removable Plate Lid with Pad-Lockable Filler Cap



6 Meters 1" Delivery Hose & Auto Shut-off



4 x Mounting Pins Supplied for Easy and Secure Mounting

Comes with 15-Year Warranty

JCB

The DieselCadet[™] with pump is a complete refueling solution, ready to be mounted onto a trailer or left stationary on the ground. Backed with a 15 Year Tank Warranty.



| DieselCadet™ with 60L/min 12v Pump | | | | |
|------------------------------------|---------------------|--------------------|-------------------|--|
| CODE | CAPACITY (LITRES) | RRP*(\$) | STEEL FRAME | |
| DUC1000LF060V1 | 1,000 Litres | \$ 3,482 * | \$ 2,556 * | |
| DUC1200LF060V1 | 1,200 Litres | \$ 3,772 * | \$ 2,739 * | |
| DUC1500LF060V1 | 1,500 Litres | \$ 4,221 * | \$ 2,739 * | |
| DUC2000LF060V1 | 2,000 Litres | \$5,032* | \$ 2,650 * | |
| DUC2400LF060V1 | 2,400 Litres | \$ 5,636 * | \$ 2,650 * | |
| DUC3000LF060V1 | 3,000 Litres | \$6,883* | \$ 4,260 * | |
| DUC4000LF060V1 | 4,000 Litres | \$ 8,412 * | \$ 4,260 * | |
| DUC5000LF060V1 | 5,000 Litres | \$ 9,711 * | \$ 5,940 * | |
| DUC6000LF060V1 | 6,000 Litres | \$ 12,066 * | \$ 5,940 * | |





DIESEL **REFUELING TRAILERS**

Li DieselPatro

[AXQ-797] 👧 🗐

DieselPatrol14[™] -

Diesel Transfer Refueling Trailers

TTi's DieselPatrol14[™] Refueling Trailer is a simple yet effective solution, at an affordable price.

Providing serious bang for your buck, the DieselPatrol14 provides safe and hassle-free refueling for your plant and equipment.

Featuring a robust galvanized chassis, heavy duty poly diesel tank, high flow pump mounted in a toolbox, the DieselPatrol14 will deliver effortless refueling of equipment.





KEY FEATURES 5L/min 12v Piu



50mm 2T-Rate Ivanised Axles



LED Combination Tail & Number Plate Lights

LiquidLocker™

***GST included** | Freight Rates Apply

Trans Tank[®] International | **Product Catalogue 2024** 107

We Are an Approved

VicRoads Trailer Registration Dealer!

DieselPatrol15[™]

Diesel Refueling Trailers

TTi's DieselPatrol15[™] Refueling Trailers are the professionals choice for providing safe and hasslefree refueling for your plant and equipment.

The DieselPatrol15 features a robust galvanized chassis, heavy duty poly tanks, high flow pumps, and optional hose reels, for ultimately delivering effortless refueling of your equipment.

A PALY

a 1



Refueling Trailers





KEY FEATURES



Galvanised Chassis with 65mm 2T-Rated Galvanised Axles & 15" Landcruiser Wheels

Filter 30micron



Diesel Cartridge (Water Absorbing)



Recessed LED Combination Tail Lights & License Plate Light

10m Retractable Reel with 10m of 25mm Hose

& 1" Nozzle



4-Digit Mechanical Flow Meter

PUMP OPTIONS



Fluid Italian 60L/min 12v Pump . Mounted in Lockable Toolbox



GX160 Honda & 490L/min Pump with Pressure Relief

DIESELPATROL15[™]

12v 60L/min Pump

\$13,393*

UnBraked

Single Axle Refueling Trailers

Honda GX160 490L/min Pump

\$17,428*

Hydraulic Braked; Registerable

\$14,920*

UnBraked







800 Litres

\$15,901*

Hydraulic Braked; Registerable

1,000 Litres

| 12v 60l | ./min Pump | Honda GX160 4 | 90L/min Pump |
|--------------------|-----------------------------------|--------------------|-----------------------------------|
| \$ 13,502 * | \$16,251* | \$ 15,029 * | \$ 17,778 * |
| UnBraked | Hydraulic Braked; Registerable | UnBraked | Hydraulic Braked; Registerable |





| | 1,200 Lit | res | | | 1,500 Lit | res | |
|----------|-----------------------------------|--------------------|-----------------------------------|-----------|-----------------------------------|-------------|-----------------------------------|
| 12v 60l | _/min Pump | Honda GX160 | 490L/min Pump | 12v 60L | ./min Pump | Honda GX160 | 490L/min Pump |
| §14,501* | \$ 17,251 * | \$ 16,028 * | \$18,778* | \$15,000* | \$ 17,701 * | §16,528* | \$20,051* |
| UnBraked | Hydraulic Braked; Registerable | UnBraked | Hydraulic Braked; Registerable | UnBraked | Hydraulic Braked; Registerable | UnBraked | Hydraulic Braked; Registerable |

DIESELPATROL15™

Dual Axle Refueling Trailers







| 1,500 Litres | | | |
|---------------------|----------------------------------|--------------------|----------------------------------|
| 12v 60L | ./min Pump | Honda GX160 4 | l90L/min Pump |
| \$ 18,060 * | \$ 23,305 * | \$ 19,587 * | \$24,832* |
| UnBraked | Electric Braked; Registerable | UnBraked | Electric Braked; Registerable |



| 2,400 Litres | | | |
|---------------------|----------------------------------|--------------------|----------------------------------|
| 12v 60L | ./min Pump | Honda GX160 4 | 190L/min Pump |
| \$ 19,820 * | \$ 25,305 * | \$ 21,347 * | \$26,830* |
| UnBraked | Electric Braked; Registerable | UnBraked | Electric Braked; Registerable |



2,000 Litres

| 12v 60L | 12v 60L/min Pump Honda GX160 | | 0 490L/min Pump | |
|--------------------|----------------------------------|--------------------|----------------------------------|--|
| \$ 19,168 * | \$ 24,634 * | \$ 20,695 * | \$ 26,161 * | |
| UnBraked | Electric Braked; Registerable | UnBraked | Electric Braked; Registerable | |




| 3,000 Litres | | | |
|--|----------------------------------|-----------|----------------------------------|
| 12v 60L/min Pump Honda GX160 490L/min Pump | | | |
| \$ 22,610 * | \$ 27,705 * | \$24,137* | \$29,232* |
| UnBraked | Electric Braked; Registerable | UnBraked | Electric Braked; Registerable |

Diesel Accessories

Assembly: Lid & Filter

- Pad-lockable, non vented diesel filler lid with strainer & anti-loss chain
- Used in all TransDiesel units
- #50 mesh filter at fill point helps prevent contamination of your fuel



Auto Shut-Off Diesel Nozzles

Reliable Auto Shut-Off Nozzles in 2 Sizes



Diesel Hose

- ♦ Choose from 6 & 10 metre hose lengths
- ♦ Choose from ¾" and 1" hose diameter
- High quality diesel grade hose with crimped fittings
- Hose kinking prevented by anti-kink spring



| SKU | Description | RRP*(\$) |
|-----------|---|---------------|
| ADZF6M20 | Diesel hose 6 metres 20mm with crimped ends | \$ 187 |
| ADZF6M25 | Diesel hose 6 metres 25mm with crimped ends | \$298 |
| ADZF10M25 | Diesel hose 10 metres 25mm with crimped ends | \$359 |

*GST included | Free Call 1800 816 277 | www.tti.com.au

DIESEL ACCESSORIES

Fuel Level Gauge Never guess your fuel level again!

• Fits neatly beside filler cap

• Easy to read fuel level gauge for DieselCaptain units

| SKU | DESCRIPTION | RRP*(\$) |
|----------|------------------------|-------------------|
| ADLM01MK | 250mm Fuel Level Gauge | \$ 148 |
| ADLM02MK | 300mm Fuel Level Gauge | ^{\$} 154 |
| ADLMO3MK | 400mm Fuel Level Gauge | \$ 163 |
| ADLM04MK | 500mm Fuel Level Gauge | \$ 168 |
| ADLM05MK | 600mm Fuel Level Gauge | \$ 178 |





DIESEL PUMPS

PUMP ONLY



DIESEL PUMPS

KITS



BluEmission™

Diesel Exhaust Fluid (DEF)

- ♦ 35L/min flow rate
- Stainless steel lid and auto shut-off nozzle for controlled dispensing
- ♦ Stainless steel pump with internal bypass for durability and ease of use
- Stainless steel breather mounted behind lid
- ♦ 4m of electrical cable with battery clips

- EPDM gaskets and seals
- Tank manufactured from urea grade polyethylene -Diesel Exhaust Fluid (DEF) compatibility
- Filler cap Diesel Exhaust Fluid (DEF) compatible
- 4 metres of 19mm flexible delivery hose



100 Litre with 35L/min Pump and Auto Nozzle 800 x 680 x 465mm (LWH) SKU: DALO100LT035AV1

\$2,621*

\$2,897*

200 Litres

200 Litre with 35L/min Pump and Auto Nozzle 800 x 680 x 710mm (LWH) SKU: DALO200ALT035AV1







Tanks are Designed to Carry the Extra Weight of AdBlue



V

Available Tank Sizes: 1,000L to 30,000L



Extra UV Stabilisation - Protects the Tank from ever Deteriorating in Direct Sunlight

Call us Today to Discuss

Your Specific Requirements

100 Litres











FIGHTING EQUIPMENT

StandBy10[™]

Hand-Held / Tractor-Mount Fire Fighters



- Fast & consistent flow from double-action hand pump
- Adjustable nozzle for effective performance in varying conditions;
- Supplied with spring steel mounting brackets;

Trans Tank[®] International | Product Catalogue 202

• UV stabilised roto-molded poly tank

\$435*

10 Litres

10 Litre Tractor Mount Fire Fighter with Spring Steel Mounting Brackets SKU: PFT0010L



"

I can say that their 1000L slip on units are fantastic, and that the two we bought this year were instrumental in saving our farms and a neighbour's house in the Yeppoon / Cobraball bushfires. When I ordered our second unit I considered it as cheap insurance!

AVID GROVES

E BRIGADE MEMBER

ARE YOU READY FOR FIRE SEASON?

In the heat of the moment, you can always rely on TTi's Fire Fighting Equipment!

FIRE FIGHTING HOSE REELS

High-Quality, Multi Purpose Manual & Spring Rewind Hose Reels

\$**989***

36m Hose Reel (Poly)

Manual rewind poly hose reel with 36m of 19mm hose & adjustable nozzle

- Heavy-duty, galvanized frame
- Tough, rotomoulded UV stabilised poly hose reel
- 36m UV stabilized hose
- Spring-loaded locking pin for safe transport
- Durable, adjustable firefighting nozzle





\$1,573*

20m Hose Reel (Steel)

Manual rewind steel reel with 20m x 25mm hose & adjustable nozzle SKU: ATHW020MANR



\$2,095*

20m Spring Rewind Hose Reel (Steel)

Spring rewind steel reel with 20m x 25mm hose & adjustable nozzle SKU: ATHW020SR

FireCombat[™]

Portable Fire Fighter



- Honda GX160 Motor with 500L/Min Davey Single Impeller 11/2" Pump
- Pressure relief valve and bypass to protect pump;
- Camlock fittings and 6m quick fill kit for filling from external water source;
- 18m x 19mm Fire hose with adjustable nozzle

\$4,162*

400 Litres

1620 x 710 x 810mm (LWH) SKU: SF0400LZ

FireGuard[™]



Portable Fire Fighters

- Handy size fire fighter for rapid response to fire emergencies;
- ♦ GX50 Honda motor, 210L/min FF pump for fast & reliable flow;
- 18 metres of fire hose with twist action adjustable FF nozzle
- UV stabilised tank with 20-year warranty



FireBoss[™]

UTV Fire Fighting Unit

Sitting neat and sitting low, the TTi FireBoss™ UTV fire fighting unit is always right behind you, when performing your fire duties.

From fire fighting, tree watering, washdown, and more, the FireBoss™ slip-on UTV firefighter lives up to its name.













FireDefence™

Slip-On Fire Fighting Unit



A compact combo that always delivers punch, the FireDefence[™] is in a class of its own.

The unique mounting of the pump, motor and reel ensures the centre of gravity is low and safe, making it the perfect choice for property owners.



KEY FEATURES



Honda GX160 Motor with 500L/Min Davey Single Impeller 11/2" Pump



36m Hose Reel with Adjustable Nozzle

LiquidLocker™

. Baffling System

Fitted



UV Stabilised Poly Tank with Tie-Down Provisions & Integrated Lifting Handles

6m Suction Fill Kit for

Filling from External

Water Source

Notes

Low-Profile Design for Safety and Stability




*GST included | Free Call 1800 816 277 | www.tti.com.au



FireAttackTM

Skid-Mounted Fire Fighting Unit



During the heat of the moment, when every drop counts, the fully draining tank and Davey Twin Impeller pump will deliver under pressure!



Honda GX200 Engine with 400I/Min Davey Twin Impeller 11/2" Pump



UV Stabilised Fully-Drainable Tank with Liquidlocker™ Baffle System



6m Suction Fill Kit for Filling from External Water Source

KEY FEATURES

36m x ¾" Heavy-


Duty Hose Reel with

Adjustable Twist

Type Nozzle







124

MAN AND AND

FIREATTACK[™]







AquaPath[™]

Skid-Mounted Water Carts

VOLVO BM

TTi's tough and robust AquaPath™ is perfect for civil works, dust suppression, tree watering and fire fighting.

This AquaPath[™] slip-on water cart is simple, effective & reliable, and will be sure to get any water transport job done with ease! Our range of accessories and options ensures we can provide you with the perfect AquaPath[™] water cart for your needs!

Tested and ready to be mounted on any tipper, flat tray or trailer!



Honda GX200 6.5hp Engine with 400L/ Min 11/2" Davey Twin mpeller Pump



eavy-Duty Poly Tank with Liquidlocker™ **Baffle System**



36m Heavy-Duty Hose Reel with Adjustable Nozzle

Galvanised Steel

Skid Frame with

Forklift Pockets

KEY FEATURES

MULCH





6m Suction Fill Kit for Filling from External Water Source

Dual Deflector

Spraver Kit

with Wireless







\$1.640* Honda Elec Start Engine

Honda Electric Start Engine with Battery Pack



Yanmar Diesel Engine 4.8hp

Electric Start with Battery Pack and Davey Pump



\$2,079* Hydrant Fill Lid

3" Hydrant Fill Lid



\$806* **Spring Rewind Reel**

18m x 25mm hose and adjustable F/F

nozzle

Trans Tank[®] International | **Product Catalogue 2024** 127

AQUAPATH[™] Skid-Mc

Skid-Mounted Water Carts





\$13,966*

2,000 Litres

2910 x 1410 x 958mm (LWH)





2,400 Litres

2910 x 1410 x 1228mm (LWH)

\$17,295* **3,000** Litres

3020 x 1540 x 1340mm (LWH)



\$18,808*

4,000 Litres

3020 x 1540 x 1590mm (LWH)



\$21,538*

5,000 Litres

3500 x 2000 x 1569mm (LWH)



| \$ 22,980 * |
|---|
| 6,000 Litres |
| , , , , , , , , , , , , , , , , , , , |

3500 x 2000 x 1709mm (LWH)

AQUAPATH[™] TESTIMONIALS

General Highly recommend one of these TTi AquaPath™ units to anyone in the civil industry."

35

Peter Atkinson Bulldog Earthmoving Civil Contractor



Very easy to take off the truck for something else if we're not using the tank. We've got six AquaPath[™] units across the company. They're very versatile, easy to fill-up and make it a lot easier on site.

Michael Hanly

ACE Contractors Group Civil and Landscaping


Highly recommend TTi, I couldnt recommend them any more, they always have the after sales service, and will hand deliver the unit! You cant ask for any better service!

Neil and Gareth

Regal Innovations Civil and Landscaping

FirePatrol14[™] —

Water Cartage Trailer



A great property owners choice for a range of applications such as firefighting, water transfer, washdown and wherever else you need water





KEY FEATURES



GX160 Honda Motor with 11/2" Single Impeller Davey 500L/Min Pump







Galvanised Chassis with 50mm 2T-Rated Galvanised Axles & Wheels




Heavy-Duty Poly Tank with Liquidlocker™ Baffles



6m Suction Fill Kit with Bracket for Filling from xternal Water Source



Led Combination Tail & Number Plate Lights



*GST included | Free Call 1800 816 277 | www.tti.com.au

for Fire Fighting, Dust Suppression and Tree Watering





Honda Electric Start Engine with **Battery Pack**

Single Deflector with Actuator Valve & Wireless Remote Control



Manual Control

1.5 inch Single Deflector, Ball Valve & Pipework

We Are an Approved

VicRoads Trailer Registration Dealer!


FirePatrol15[™]

Australia's No: 1 Water Cartage Trailer

Robust, safe and engineer approved, the FirePatrol15[™] line up of water cartage trailers are still being voted 'Best & Fairest' on and off the road!

High performing and versatile, they make putting 'water to work' a pleasure!

......



FIREPATROL15[™]







800 Litres \$12,577* \$14,390* Unbraked **Braked Registerable** (Hydraulic Brakes) SKU: PRFQ0800LZ SKU: PRFX0800LZ

B69 884



| 1,000 Litres | | | | |
|---------------------|---------------------|--|--|--|
| \$ 13,026 * | \$ 14,990 * | | | |
| Unbraked | Braked Registerable | | | |
| | (Hydraulic Brakes) | | | |
| SKU: PRFX1000LZ | SKU: PRFQ1000LZ | | | |
| | | | | |



| 1,200 Litres | | | | |
|---------------------|---------------------------------------|--|--|--|
| \$ 14,274 * | §16,333* | | | |
| Unbraked | Braked Registerable | | | |
| SKU: PRFX1200LZ | (Hydraulic Brakes) SKU: PRFQ1200LZ | | | |













| 1,500 Litres | | | | |
|---------------------|---------------------------------------|--|--|--|
| \$ 17,039 * | \$ 21,830 * | | | |
| Unbraked | Braked Registerable | | | |
| SKU: PRFXD1500LZ | (Electric Brakes) SKU: PRFQD1500LZ | | | |

XAXQ - 797



| 2,400 Litres \$20,057* \$23,864* | | | |
|--|--------------------|--|--|
| 2,400 Litres | | | |
| \$20,057* | \$ 23,864 * | | |
| Unbraked | Braked Registerab | | |
| | (Electric Brakes) | | |
| SKU: PRFXD2400LZ | SKU: PRFQD2400LZ | | |
| | | | |

| 3,000 Litres | | | | |
|---------------------|---------------------------------------|--|--|--|
| 22,067* | \$ 27,120 * | | | |
| Inbraked | Braked Registerable | | | |
| : PRFXD3000LZ | (Electric Brakes) SKU: PRFQD3000LZ | | | |



135

PantherPatrol[™] –

State-of-the-Art Water Cartage Trailer

Clearly a market leading water cart trailer.

The state of the art TTi PantherPatrol[™] Trailer Mounted Water Cart includes an inbuilt handwash tank and toolbox, and can be used for firefighting, washdown and tree watering.





36m of 19mm Hose Fire Fighting Hose Reel with Adjustable







1,100 Litres

\$13,537*

Unbraked Honda GX200 with Twin Impeller Davey Pump SKU: PRFPX1100LZ

\$16,023*

Braked / Registerable Honda GX200 with Twin Impeller Davey Pump SKU: PRFPQ1100LZ





THE NEW ERAIN WATER TRU

We design, develop and manufacture poly tank water truck solutions here in Australia.

From complete units, fully-featured with top of the line equipment, to simple slip-on tanks. We equip Australia's civil contractors with the tools to get the job done.

WATER TRUCKS

Why TTI Water Trucks?

Designed, developed and manufactured in Australia, TTI's poly tank water trucks are the best kept secret in the civil water truck space (but not for long).

As Bild-Group, Coates Hire, Boral Quarries, **Programmed** and other major players make the switch to TTI, the new era in water trucks is here.



Cascade[™]

TO DE

4x2 Water Truck

0

The ultimate compact water truck.

Popular with landscapers due to saving watering time by being more accurate, and easy to operate. Perfect for smaller civil projects, where large water trucks are not required.

8,000 Litres

the state of the second



Flashing LED Beacon, Recessed Tail Light Board &

Side Clearance Lights

User-friendly, Hot-dipped Galvanised Pipework

Ergonomic Hydrant Pipe Holder Fitted

Under Body **Hose Storage** for Easy Access

STANDARD INCLUSIONS:



- Purpose Built, Hot Dip Gal Chassis-Mount Frame $\mathbf{\mathbf{V}}$
- 3" Diesel or Hydraulic Powered Centrifugal Pump
- **3" Hydrant Fill System**, Over-head Funnel, Pump Suction Fill \checkmark
- Rear Spray Heads
- **20m** Spring Rewind **Hose Reel**

OPTIONAL EXTRAS:



3" Electric Water Cannon with In-Cab Joy Stick Control





Signage Storage Provision, Traffic Cone Holder & Tool Box



Left and Right Front Spray Frog Nozzles



Gravity or Pressurised Dribble Bar

*GST included | Free Call 1800 816 277 | www.tti.com.au





Designed to withstand the harshest of conditions, the 13,000 litre Storm[™] water truck will deliver greater efficiencies when applying water on site.

Perfect for civil & earthmoving contractors, councils, hire companies and more.

STANDARD INCLUSIONS:



2x LED Rear Facing Work Lights & Flashing LED Beacon

Under Body Hose Storage for

Scan to see this product in action!

- User-friendly, Hot-dipped Galvanised Pipework 3" Hydraulically Driven Pump \checkmark with variable speed dial
- **3" Hydrant Fill System**, Over-head Funnel, Pump Suction Fill
 - V Easy Access 3 Rear Spray Heads (Centre,
 - Gravity and Pressurised Dribble Bar

OPTIONAL EXTRAS:



3" Electric Water Cannon with In-Cab Joy Stick Control



Batter Spray Heads mounted between the tank and the cab



Left and Right Front Spray Frog Nozzles



Gravity Drop Bar -Apply an Even Fan of Water Under Gravity









***GST included** | Freight Rates Apply

FloodRite[™]

Slip-On Water Cart

FloodRiteTM slip on water carts are proven as the contractors, councils and hire companies #1 choice of water cart.


It is truly the professional's choice for the application of water as part of road construction, dust suppression & any other application for getting water where you need it!

The FloodRite[™] slip on water cart can be mounted in the back of tipper trucks using our loading leg system, or forklifted onto a tray truck or trailer.





the in a list of



FLOODRITE





KEY FEATURES

Heavy-Duty

Fully Baffled

Polv Tank







20m Spring





Ergonomic Pipework Manifold



Hydrant & Suction Fill

1600L/min

Self Priming

Heavy duty Galvanised



3" Rear Adjustable Spray Heads

NEW WIRELESS REMOTE CONTROL











12,000 Litres

(LWH) 4520 x 2100 x 2880mm; 1680kg



13,000 Litres

(LWH) 4440 x 2250 x 2960mm; 1680kg





(LWH) 5480 x 2370 x 2440mm; 1770kg







OPTIONAL SWING-UP LEG SYSTEM FOR EASY LOADING & UNLOADING FROM TIPPERS



15,000 Litres

(LWH) 5530 x 2370 x 2700mm; 1860kg



17,000 Litres

(LWH) 5530 x 2370 x 3040mm; 1950kg

Cannon

xTremĕ™

Pressure Cleaning Trailer

Heavy-Duty Cold Wash Pressure Cleaning Trailer

Heavy-duty pressure cleaning trailers are ideal for councils, civil and industrial use, with high performing pressure cleaning pumps ideal for removing heavy grime and dirt





Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work

Heavy-Duty Poly Tank

Australian Made, Tough,

Lightweight and Rust-Free

Polyethylene Cartage Tank

with 20-Year Warrantv



KEY FEATURES

20m Hose Reel Convenient 20m hose reel with heavy duty braid hose & quality spray wand

pumps (3650psi)

Pressure Cleaning Kit

Choice of Honda petrol or

Kubota diesel engines with

Spitwater pressure cleaner



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer



High Pressure Pump High performing pumps rated to 3150-3650psi pumps get the job done with ease!


xTreme™ Plus -

Pressure Cleaning & Washdown Trailer

Powerful Pressure Cleaning & Washdown Trailer

Dual purpose pressure cleaning & washdown trailers are ideal for councils, civil and industrial use. Separate pressure cleaning & washdown pumps enable you tackle any application





KEY FEATURES



Heavy-Duty Poly Tank Australian Made, Tough, Lightweight and Rust-Free Polyethylene Cartage Tank with 20-Year Warranty



Washdown Pump Kit Choice of Honda petrol or Yanmar diesel engines with Davey pump for washdown; 36m x 19mm hose and reel



Heavy-Duty Chassis A well balanced, easy towing, fully hot dipped galvanised chassis is engineer approved, for years of hard work



Pressure Cleaning Kit Choice of Honda petrol or Kubota diesel engines with Spitwater pressure cleaner pumps (3650psi)



LiquidLocker[™] Baffles Fitted for safety and stability, LiquidLocker[™] baffles are included in every xTreme[™] Trailer



15" Sunraysia Landcruiser wheels makes for smooth towing even in the toughest terrain

Our People

Our Staff - Our Key!

At TTi we believe that anyone can copy the products we manufacture, the marketing we produce, the facilities we have, but nobody can copy the people that make the company what it is. Our people and their families mean everything to us and always will.



SOME OF US!



Andre Büchner Director andre.buchner@tti.com.au



Ross Büchner Chief Executive Officer

ross.buchner@tti.com.au



Rolf Büchner Sales Manager rolf.buchner@tti.com.au





Jens Büchner Marketing Manager

jens.buchner@tti.com.au



Richard Southall Operations Manager richard.southall@tti.com.au

Wayde Büchner Production Scheduler wayde.buchner@tti.com.au





NSW/OLD State Manager

andrew.trappel@tti.com.au



Kevin Büchner Industrial Product Specialist kevin.buchner@tti.com.au



Dale James Product Specialist dale.james@tti.com.au



Sidney Ferguson Digital Marketing Manager sidney.ferguson@tti.com.au

Joseph Patten

joseph.patten@tti.com.au

R&D Team Leader



Pierre Büchner TTi Ambassador pierre.buchner@tti.com.au



Elmer Selby SA/NT State Manager elmer.selby@tti.com.au



Laura Steward Administrative Assistant

laura.steward@tti.com.au







Andrea Boschetti Sales Support andrea.boschetti@tti.com.au



Paul Kiesskalt Customer Service Team Leader paul@tti.com.au





Brian Boyd Customer Care Coordinator

brian.boyd@tti.com.au



Craig Hook Logistics Manager craig.hook@tti.com.au

Jedd Büchner

Product Specialist

jedd.buchner@tti.com.au







FREIGHT RATE GUIDE

Call to Discuss Your Tailored Freight Pricing 1800 816 277

| | ZONES | 1 | 2 | 3 | 4 | 5 | 6 |
|----------------------|------------------------------------|---------------|-------------------|----------------|----------------|----------------|-----|
| All Bare Tanks | 100 L to 400 L | \$ 65 | \$ 90 | \$ 115 | \$ 125 | \$ 190 | POA |
| All Bare Tanks | 500L to 1,500L | \$ 115 | \$ 180 | \$ 220 | \$ 3 30 | \$ 385 | POA |
| All Bare Tanks | 2,000L to 4,000L | \$ 220 | \$ 400 | \$ 450 | \$ 500 | \$ 700 | POA |
| All Bare Tanks | 5,000L to 12,000L | \$ 500 | \$ 625 | \$ 940 | POA | POA | POA |
| All Bare Tanks | 13,000 L to 17,000 L | \$ 625 | \$ 940 | POA | POA | POA | POA |
| Inter™ / WeedMasta™ | All Sizes | \$30 | \$30 | \$30 | \$30 | \$ 40 | POA |
| Spot Sprayers | 55L to 95L | \$ 40 | \$ 50 | \$ 60 | \$80 | \$ 90 | POA |
| Spot Sprayers | 150 L to 225 L | \$ 60 | \$ 80 | \$ 100 | \$ 120 | \$150 | POA |
| Spot Sprayers | 300 L to 400 L | \$ 100 | ^{\$} 150 | §225 | \$ 250 | \$ 3 75 | POA |
| Field Sprayers | 500L to 1,000L | \$ 250 | \$ 3 75 | \$ 500 | \$ 600 | POA | POA |
| Spray Trailers | 55L / 95L / 150L | \$75 | \$ 90 | \$ 100 | \$ 140 | \$ 160 | POA |
| Spray Trailers | 200 L | §125 | \$ 190 | \$ 250 | \$ 3 75 | \$ 400 | POA |
| Spray Trailers | 400 L | \$ 250 | \$ 440 | \$ 5 50 | POA | POA | POA |
| Spray Trailers | 800L to 1,200 L | \$ 500 | \$ 940 | POA | POA | POA | POA |
| Linkage Sprayers | 300 L to 400 L | §125 | \$ 250 | \$ 350 | POA | \$ 500 | POA |
| Linkage Sprayers | 600L to 1,000L | \$ 190 | \$ 3 75 | POA | POA | POA | POA |
| Booms/Versatile Boom | 2m - 4m | \$ 25 | \$ 30 | \$ 40 | \$ 40 | \$ 40 | POA |
| Booms | 6m - 8m | \$ 100 | \$125 | \$ 190 | \$ 225 | \$ 250 | POA |
| Booms | 10m - 12m | \$ 190 | \$ 250 | \$ 440 | POA | POA | POA |
| Hose Reels | 30m - 50m | \$ 40 | \$ 50 | \$ 60 | \$ 60 | \$ 70 | POA |
| Hose Reels Fire H | lose / SuperReels™ | \$ 60 | \$80 | \$ 100 | \$ 120 | \$ 120 | POA |


| | ZONES | 1 | 2 | 3 | 4 | 5 | 6 |
|--|-----------------------------------|----------------|-------------------|-----------------|---------------|---------------|-----|
| Diesel Units | 100 L to 400 L | \$ 65 | \$ 75 | \$ 100 | \$ 100 | \$ 150 | POA |
| Diesel Units | 440 L to 600 L | \$ 110 | ^{\$} 125 | \$ 250 | \$ 280 | \$ 320 | POA |
| Diesel Units | 800L to 1,200 L | \$ 150 | \$ 220 | \$ 280 | \$ 320 | \$ 400 | POA |
| Diesel Units | 1,500 L to 4,000 L | \$ 280 | \$ 550 | \$ 750 | POA | POA | POA |
| Diesel Units | 5,000 L to 10,000 L | \$ 500 | \$ 815 | \$ 1,125 | POA | POA | POA |
| Diesel Trailers | Single Axle | \$ 500 | \$ 940 | POA | POA | POA | POA |
| Diesel Trailers | Dual Axle | \$ 690 | \$ 1,125 | POA | POA | POA | POA |
| Fire Units | 220 L to 300 L | \$ 90 | \$ 120 | \$ 150 | \$ 250 | \$ 250 | POA |
| Fire Units | 400L to 1,500 L | \$ 125 | \$ 190 | \$ 250 | \$ 440 | POA | POA |
| Fire Units / AquaPath | 2,000L to 4,000L | \$ 3 75 | \$ 625 | \$ 875 | POA | POA | POA |
| Fire Units / AquaPath | 5,000L to 6,000L | \$ 500 | ۶ 750 | §1,125 | POA | POA | POA |
| Fire Trailers | 800L to 1,200 L | \$ 500 | \$ 940 | POA | POA | POA | POA |
| Fire Trailers | 1,500 L to 3,000 L | \$ 690 | \$ 1,000 | POA | POA | POA | POA |
| AquaDelivery™ / FloodRite™ Water Trucks | | POA | POA | POA | POA | POA | POA |

NOTE:

Water Trucks

If multiple products are being ordered, Please contact for consolidated freight quote.

Call 1800 816 277 for details.



*GST included | Freight Rates Apply



HEAD OFFICE (NATHALIA)

3 Murray Valley Hwy, Nathalia, VIC, 3638

FABRICATION (NATHALIA)

5 Nugent St, Nathalia, VIC, 3638

WATER TRUCKS (MELBOURNE)

12 Burwood Avenue, Sunshine North, VIC, 3020

QUOTES AND ENQUIRIES **1800 816 277**

HEAD OFFICE

Head Office: **1800 816 277** Landline: (03) **5866 3266** Fax: (03) **5866 3019**

EMAIL

Sales: sales@tti.com.au Marketing: marketing@tti.com.au Operations: operations@tti.com.au Accounts Receivable: accountsreceivable@tti.com.au Accounts Payable: accountspayable@tti.com.au Support/Warranty: customercare@tti.com.au

ONLINE

www.**tti**.com.au www.**ttiwatertrucks**.com.au

Follow us at **#TransTankInternational**

